

SIEMENS

CAE Trends, Successes, and Strategies  
2012 NX CAE Symposium

Visit [siemens.com/plm/nxcae-symposium](http://siemens.com/plm/nxcae-symposium) to learn more.

# DE

Desktop Engineering®

TECHNOLOGY FOR DESIGN ENGINEERING

September 2012 / [deskeng.com](http://deskeng.com)

**Hypersonic  
Vehicle Designs** P. 35

**LightWave 11  
Review** P. 40

**FOCUS ON:  
Workstation  
Technologies**

# MULTIDISCIPLINARY ANALYSIS



**Coordinate  
simulations across  
disciplines to  
increase collaboration.**

**REVIEW: HP ELITEBOOK 8560W** P. 26

**VIRTUALIZATION AND THE GPU** P. 20

**THE ECOCAR2 COMPETITION** P. 44

# Champions by Design

With  
**speedo** 



Performance by Speedo. Simulation by ANSYS.



**ANSYS**<sup>®</sup>

Realize Your Product Promise<sup>™</sup>

When Speedo creates a new swimsuit or goggles or a cap, it makes a promise to its customers. That they will glide through the water faster. They'll earn medals. Break world records.

Using ANSYS simulation technology, Speedo is delivering on that promise by engineering the most cutting-edge product inside the computer. Valuable resources are saved by reducing the dependence on costly and time-consuming physical prototypes.

Talk about making a splash.

Visit [ANSYS.COM/Speedo](http://ANSYS.COM/Speedo) to learn how simulation software can help you realize your product promise

# Wireless Data Collection



**zSeries**  
Starts at  
\$95

**wi8 Series**  
Starts at  
\$395


**ZED-P Series**  
Starts at  
\$195

## Temperature, Humidity and Barometric Pressure Wireless Sensor System

- High Power Transmitter up to 1 Kilometer
- Web Server to Monitor and Record Data
- NEMA4/IP65 Enclosure
- Alarms by Email or Text Message

Visit [omega.com/zed-p\\_series](http://omega.com/zed-p_series)


## Web-based Temperature Monitoring



**iSD-TC**  
Starts at  
\$495

Visit [omega.com/isd-tc](http://omega.com/isd-tc)

## Miniature Wireless Thermocouple Connections



**MWTC-REC1**

**MWTC-REC5**

**MWTC-D**

Visit [omega.com/mwtc\\_series](http://omega.com/mwtc_series)

## Wireless Sensor System IEEE 802.11 b/g / Wi-Fi Transmitters



**wSeries**  
Starts at  
\$195

Visit [omega.com/wseries](http://omega.com/wseries)

1-888-82-66342®  
1-888-TC-OMEGA

Because of transmission frequency regulations, these wireless products may only be used in the United States, Canada and Europe.

omega.com



**OMEGA®**

© COPYRIGHT 2012 OMEGA ENGINEERING, INC. ALL RIGHTS RESERVED



## Kansas City, Here I Come

**R**emember that high-pitched static whine punctuated by the digital chimes that signaled your dial-up modem was shaking hands with your Internet service provider (ISP)? Maybe you doubled your speed from 14.4 kbps to 28.8 kbps at some point and were impressed with how fast Netscape rendered a web page. Then broadband arrived and wow, was it fast. But, everything is relative.

Nowadays, things don't seem so fast. The average broadband speed in the U.S. today is about 5.8 Mbps, which is only slightly faster than the maximum speeds 16 years ago. While computing power has doubled every 12 to 18 months and storage capacity — both locally and networked — has become increasingly affordable, broadband has not kept pace. In fact, the price of broadband has increased for many, while broadband speeds are being capped.

### Need for Speed

The static pace of broadband speeds doesn't sit well with Google. If it hopes to move more customers to its cloud-based solutions, they need to have fast access to the Google-

**Many future innovations depend on removing the broadband bottleneck.**

hosted services that comprise their digital lives. Google's answer to the problem is Google Fiber, which it rolled out in Kansas City recently. Using fiber optics, the company is delivering upload and download speeds of 1 Gbps for less than what others are charging for half those speeds.

The lack of innovation among traditional ISPs shouldn't sit well with design engineers either. Even though many of you have fast access at work, chances are you're doing some of your work from home. Others are working in smaller offices that are using the same cable and DSL connection technologies as consumers. But while a fast connection would certainly be a convenience when uploading and downloading large files away from the office, and the many home-based engineering contractors' productivity would greatly benefit from gigabit speeds, those are relatively minor benefits.

### Engineering a Connected World

The bigger benefits to widespread, affordable, extremely high-speed access are the product innovations it would en-

able. It's easy to imagine new music and movie sharing business plans taking advantage of the higher speeds, or new apps that pop up based on faster access to data in the cloud, but what about more "Jetsonian" technologies?

An Aug. 1 *Wall Street Journal* online article titled "Entrepreneurs Dream of Jumping on Super-Fast Network" profiled a few Kansas City start-ups hoping to capitalize on Google's experiment. Integrated Roadways LLC would like to embed sensors in roads to transmit data about hazardous conditions via Google Fiber, and maybe someday communicate with self-driving cars. Another business, Caregiv, hopes to bring doctor-patient teleconferencing to the homes of the elderly, allowing medical professionals to monitor patients and provide online therapy sessions.

Many of the future's most promising innovations depend on removing the broadband bottleneck. Imagine what huge increases in average broadband speeds could do for sensor-based monitoring, teleconferencing, online education, Internet-connected appliances, home-based manufacturing, telemedicine, simulation, crowd sourcing and more.

"Like electricity a century ago, broadband is a foundation for economic growth, job creation, global competitiveness and a better way of life," according to the executive summary of the National Broadband Plan ([broadband.gov](http://broadband.gov)). "It is enabling entire new industries and unlocking vast new possibilities for existing ones. It is changing how we educate children, deliver health care, manage energy, ensure public safety, engage government, and access, organize and disseminate knowledge."

### Just a First Step

To say that gigabit speeds lead to new innovation is an oversimplification. There are many challenges to overcome along the way.

Google Fiber is just in Kansas City, and Google has been pretty tight-lipped about any expansion plans. If we take a step back, we'll see that about 100 million Americans don't have any broadband — fast or slow — in their homes, and many countries have higher average connection speeds than the U.S.

Surely Google hopes its entrance into the market will shake the cobwebs off traditional network providers. Engineers should too. Even if Google Fiber never extends beyond the test bed of KC, it could serve as a wake up call that will lead to competitive offerings by other ISPs. It's an important first step down a road that could help jumpstart innovation in the U.S.

**Jamie Gooch** is the managing editor of *Desktop Engineering*. Contact him at [de-editors@deskeng.com](mailto:de-editors@deskeng.com).

**Name**

*Dr. Dennis Hong*

**Job Title**

*Associate Professor of  
Mechanical Engineering,  
Virginia Tech*

**Area of Expertise**

*Robotics*

**LabVIEW Helped Me**

*Convey and respond to  
vast amounts of data in  
real time*

**Latest Project**

*Design and prototype a  
car that can be driven by  
the blind in just 4 months*

**NI LabVIEW**


LabVIEW makes me better because

**CODE REUSE**

saves time and effort

>> Find out how LabVIEW can make you better at [ni.com/labview/better](http://ni.com/labview/better)

800 453 6202



## COVER STORY

# Simulation Collaboration

**30** Pamela J. Waterman explores the benefits of coordinating simulations across multiple disciplines. Accessing the right simulation software, tracking all possible input data, combining analysis results and connecting with databases across teams and vendors can present a huge challenge. The good news is that traditional simulation packages are being extended—not only to help different disciplines work with the same models, but also to share the results across higher level collaborations.

**ON THE COVER:** Complicated designs, such as those used in the automotive and aerospace industries, make multidisciplinary collaboration a must to make sure mechanical, electronic and thermal modeling work together. *Images courtesy of iStockphoto.com and ANSYS. Cover design by Darlene Sweeney.*

## SIMULATE

### 35 Better Answers Faster


A research team uses Tecplot Chorus for hypersonic vehicle design.

By Mark Clarkson

### 37 Aluminum Casting Simulations

Closed-loop, automatic optimization makes fast work of enhancing FLOW-3D CFD analyses.

By Antoni Drys and Stefano Mascetti



### 42 The Back and Forth of Windshield Wiper Design


Hyundai Motor Co. uses Abaqus Unified FEA to perform faster, integrated design simulations.

By Lynn Manning

### 44 Plugging into the Chevy Malibu's Eco Future

Embry-Riddle University's EcoEagles put digital simulation in driver's seat.

By Kenneth Wong



## DESIGN

### 40 Review: Two Parts in One

With LightWave 11, NewTek once again puts most of the shine on half the product.

By Mark Clarkson

## FOCUS ON WORKSTATIONS

### 20 Virtualization and the GPU

How GPUs can deliver engineering application performance.

By Peter Varhol

### 22 Consumer PCs Vs. Pro Workstations

Consumer brands cost less initially, but incompatibility with professional software may add costs down the road.


By Kenneth Wong

### 26 Review: Upwardly Mobile

The new HP EliteBook 8560w mobile workstation with DreamColor display improves upon its predecessor.

By David Cohn

**THERMAL MANAGEMENT:** Convective cooling of a circuit board where temperature and fluid flow are modeled as a conjugate heat transfer application.



# Verify and optimize your designs with COMSOL Multiphysics.®

Multiphysics tools let you build simulations that accurately replicate the important characteristics of your designs. The key is the ability to include all physical effects that exist in the real world. Order your free Introduction to Multiphysics CD at [www.comsol.com/intro](http://www.comsol.com/intro)

## Product Suite

### COMSOL Multiphysics

#### FLUID

CFD Module  
Pipe Flow Module  
Microfluidics Module  
Subsurface Flow Module

#### CHEMICAL

Chemical Reaction Engineering Module  
Batteries & Fuel Cells Module  
Electrodeposition Module  
Corrosion Module

#### MECHANICAL

Heat Transfer Module  
Structural Mechanics Module  
Nonlinear Structural Materials Module  
Geomechanics Module  
Acoustics Module

#### ELECTRICAL

AC/DC Module  
RF Module  
MEMS Module  
Plasma Module

#### MULTIPURPOSE

Optimization Module  
Material Library  
Particle Tracing Module

#### INTERFACING

CAD Import Module  
File Import for CATIA® V5  
LiveLink™ for SolidWorks®  
LiveLink™ for SpaceClaim®

LiveLink™ for Pro/ENGINEER®  
LiveLink™ for Creo™ Parametric  
LiveLink™ for Inventor®  
LiveLink™ for AutoCAD®  
LiveLink™ for MATLAB®



## DEPARTMENTS

### 2 Degrees of Freedom

Kansas City, here I come.

By Jamie J. Gooch

### 8 Kenneth Wong's Virtual Desktop



Looking back on Curiosity's engineering, looking ahead toward automating optimization and looking for designs based on their shape.

### 14 Engineering on the Edge

Stretchable electronics, sprayable batteries, twisted light data transfers, magnetic drive simulations and USC's Holodeck.

### 16 Rapid Ready Tech

Solidscape's 3Z Pro 3D printer, aluminum composites, magic arms, Applied Technology Integration case study and articulated 3D printing.

### 17 What's New

MathWorks' Simulink and SimPower Systems.

### 18 Editor's Picks

Products that have grabbed the editors' attention.

By Anthony J. Lockwood

### 19 Fast Apps

Engineering case studies.

### 45 Spotlight

Directing your search to the companies that have what you need.

### 47 Advertising Index

### 48 Commentary

Exploiting the integrated desktop.

By Tony Christian, Cambashi



# deskeng.com

#### RAPID READY TECH BLOG

Read all about making digital designs physical @ rapidreadytech.com.

#### ENGINEERING ON THE EDGE BLOG

See the future of engineering technology @ engineeringontheedge.com.

#### VIRTUAL DESKTOP BLOG

Read Kenneth Wong @ deskeng.com/virtual\_desktop for a closer look at lifecycle components via articles, podcasts and video reports.

#### NEWSLETTER REGISTRATION

Newslink; Editor's Pick of the Week; Check It Out; Virtual Desktop; Focus on Analysis and Simulation; Focus on Engineering IT & Computing; Focus on MCAD; and Focus on Rapid Technologies.

#### DE MOBILE BETA

Check out our mobile app for Android and iOS by visiting wbxapp.com/de-mobile on your mobile device, or scan the QR code to the right.

#### DE ON TWITTER

Follow us @ DEeditor

#### LIKE DE ON FACEBOOK

Visit DE @ deskeng.com/facebook



#### EDITORIAL

**Steve Robbins** | Executive Editor  
**Jamie J. Gooch** | Managing Editor  
**Kenneth Wong** | Senior Editor  
**Anthony J. Lockwood** | Editor at Large  
**Heather Pinger** | Copy Editor

#### CONTRIBUTING EDITORS

Brian Albright, Mark Clarkson, David S. Cohn, Barbara Goode, Mike Hudspeth, John Newman, Susan Smith, Peter Varhol, Pamela J. Waterman

#### PUBLISHER

**Thomas Conlon**

#### ADVERTISING SALES

603-563-1631 • Fax 603-563-8192

**Erich Herbert** | Sales Executive (x263)  
**Jeanne DuVal** | Account Manager (x274)

#### ART & PRODUCTION

**Darlene Sweeney** | Director (x257)

#### A LEVEL 5 COMMUNICATIONS PUBLICATION

**Steve Robbins** | Chief Executive Officer  
**Thomas Conlon** | President

#### ADVERTISING, BUSINESS, & EDITORIAL OFFICES

**Desktop Engineering® magazine**  
Level 5 Communications, Inc.  
1283D Main St., PO Box 1039 • Dublin, NH 03444  
603-563-1631 • Fax 603-563-8192  
E-mail: DE-Editors@deskeng.com  
www.deskeng.com

#### SUBSCRIBER CUSTOMER SERVICE

**Desktop Engineering® magazine**  
PO Box 677 • Northbrook, IL 60065-0677  
847-559-7581 • Fax 847-564-9453  
E-mail: den@omeda.com

**Desktop Engineering®** (ISSN 1085-0422) is published monthly by Level 5 Communications, Inc., 1283D Main Street, P.O. Box 1039, Dublin, NH 03444, 603-563-1631. Periodicals postage paid at Dublin, NH, and at additional mailing offices. Desktop Engineering® is distributed free to qualified U.S. subscribers.

**SUBSCRIPTION RATES:** for non-qualified; U.S. \$108 one year; Canada and Mexico \$126 one year; all other countries \$195 one year.

**LIST RENTALS:** For information on list rentals, contact Statistics, Danbury, CT: 203-778-8700.

**POSTMASTER:** Send all address changes to **Desktop Engineering**, P.O. Box 677, Northbrook, IL 60065-0677.

Address all editorial correspondence to the Editor, Desktop Engineering. Opinions expressed by the authors are not necessarily those of Desktop Engineering. Unaccepted manuscripts will be returned if accompanied by a self-addressed envelope with sufficient first-class postage. Not responsible for lost manuscripts or photos.

Each separate contribution to this issue, and the issue as a collective work, is copyright © 2012 Level 5 Communications, Inc. All rights reserved. Copying for other than personal or internal reference use without the permission of Level 5 Communications, Inc. is prohibited. Requests for permission should be addressed in writing to Desktop Engineering Permissions, 1283D Main Street, P.O. Box 1039, Dublin, NH 03444. PRINTED IN THE USA.



# HYBRID 2-MODE

*POWERED WITH ELECTRICITY, GAS,  
AND AUTOMATICALLY-GENERATED CODE.*

*THAT'S MODEL-BASED DESIGN.*

*To create a two-mode hybrid  
powertrain, engineers at GM  
used models to continuously  
verify their design, test prototypes,  
and automatically generate the  
embedded code.*

*The result: a breakthrough HEV,  
delivered on time.*

*To learn more, visit  
[mathworks.com/mbd](http://mathworks.com/mbd)*

**MATLAB®  
& SIMULINK®**

©2011 The MathWorks, Inc.

 **MathWorks®**  
Accelerating the pace of engineering and science



# Curiosity Got the Better of Engineering

It takes about 14 minutes for a signal from Curiosity rover to reach Earth. From Mars' atmosphere, it takes the rover about 7 minutes to reach the surface. That means, on March 5, by the time NASA got word that Curiosity had entered the planet's top atmosphere, the spacecraft had already crashed into or settled on Mars' soil. Seven more agonizing minutes passed before the scientists knew whether they should uncork the champagne or face a disappointed worldwide audience.


Those "7 Minutes of Terror," according to NASA's promotional video, were agonizing for the rover's creators.

While hurtling down at 13,000 MPH, the rover first had to open a supersonic parachute to slow itself down and prepare for a landing. It had to detach its bottom cover so the internal radar could, in a manner of speaking, "see" the landing zone. For the second phase of its descent, it had to remove the parachute, then activate its rockets. Curiosity then had to complete the last 20 meters of the landing in a crane, dangling from its top cap. Once the rover was on the ground, the rocket-propelled top had to detach and fly off to avoid crashing into the craft below.

Tom Rivellini, a NASA Entry, Descent, Landing (EDL) engineer, summed it up: "The computer has to do it all by itself, with no help from the ground. If any one thing goes wrong, or doesn't go just right, it's game over."

## Simulated to Perfection

Even though Curiosity's treacherous descent was a one-time event, EDL engineers had already played it out hundreds of times in pixels, in simulation exercises driven by computer-aided engineering (CAE) software. This gave the project team confidence that the craft was adequately designed to withstand the heat buildup during atmosphere entry. They had made sure



A rendering of Curiosity collecting samples on Mars. (Image courtesy NASA, Jet Propulsion Laboratory)

the 100-lb. supersonic parachute could put a break on the 65,000-lb. force of the falling craft. They had calculated the right altitude at which to activate the radar so it could guide the craft to the landing zone. In essence, Curiosity's autonomous operations that kicked into gear on Aug. 5 had played out countless times inside powerful computers and server clusters, in simulated conditions that closely mimic Mars' climate.

The anxiety and anticipation of the 7 minutes was also shared by executives at Siemens PLM Software, which supplied some of the mechanical modeling and simulation programs used by NASA. Doug McCuiston, NASA director of the Mars Exploration Program, said that Siemens software helped "not only to manage the drawings and procedures, but also to help design the systems. So it was very useful to be able to test the parts and test the interfaces with them before we actually had to assemble the system."

Siemens' NX is the Jet Propulsion Laboratory's (JPL's) standard package for computer-aided design, engineering and manufacturing. JPL also uses Siemens' Teamcenter software to manage projects and collaboration.

The UK's University of Leicester Space Research Center, also a Siemens software user, has a vested interest in Curiosity as well.

"We need to make sure our hardware can withstand the vibration load," said Ivor McDonnell, mechanical engineer at the center. "Because hardware development is very expensive, we use the NX tools to predict what stresses our hardware are going to be subject to during these launch-level load."

Piyal Samara-Ratna, CAD IT manager for the center, explained, "We find that the Nastran solver [part of NX's simulation function] is a solver commonly used in the industry, so it allows us to work effectively with our partners. We also find that tools are particularly effective in providing good correlation to the actual design environment."

But no matter how many times Curiosity's landing has been simulated, NASA faced great odds. Real-world surprises that were not anticipated—dust storms, electrical failures, atmospheric changes, to name but a few—could have easily thwarted Curiosity's mission. A month before the landing happened, *DE* Executive Editor Steve Robbins wrote, "Call me a hopeless romantic, but as I write this in late July, my money is on an amazing landing."

"When people look at it, it looks crazy," admitted NASA's Stetlzer. "Sometimes when we look at it, it looks crazy. It is the result of reasoned engineering thought, but it still looks crazy."



“There are more things in  
heaven and earth...than are  
dreamt of in your philosophy.”

—William Shakespeare

Create the wings of an airplane. Design dazzling new worlds. Whatever your digital challenge, AMD FirePro™ professional graphics cards can help you do it better. You'll see more and do more by using up to six displays<sup>1</sup> at the same time with our exclusive AMD Eyefinity multi-display technology — and still have just a single graphics card in your system. If your work calls for the latest industry standards, such as OpenGL®, OpenCL™ and DirectX®11 technology, your AMD FirePro™ professional graphics card fully supports them. Choose AMD, and unleash your digital potential.

Be limitless, when every detail counts.  
Demand AMD FirePro™ in your system.  
Visit [www.amd.com/firepro](http://www.amd.com/firepro) to learn more.



<sup>1</sup>AMD Eyefinity technology can support up to six DisplayPort displays using a single enabled AMD graphics card. The number of supported displays varies by card model and board design; confirm specifications with the manufacturer before purchase. Additional hardware may be required. Utilizing DisplayPort 1.2 and Multi-Stream technology-enabled displays, connectors and/or hubs, a single graphics card may support up to two more displays than it has display outputs, limit six displays. Microsoft® Windows® 7, Windows Vista®, or Linux® is required to support more than 2 displays; Windows XP is no longer supported. AMD Eyefinity technology works with applications that support non-standard aspect ratios, which is required for panning across multiple displays. SLS (Single Large Surface) functionality requires an identical display resolution on all displays. See [www.amd.com/firepro](http://www.amd.com/firepro) or [www.amd.com/eyefinity](http://www.amd.com/eyefinity) for details.

© 2012 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD logo, FirePro, the FirePro logo, and combinations thereof are trademarks of Advanced Micro Devices, Inc. Microsoft, Windows, Windows Vista and DirectX are registered trademarks of Microsoft Corporation in the United States and/or other jurisdictions. OpenCL is a trademark of Apple Inc., and is used with permission from Khronos. Other names are for informational purposes only and may be trademarks and/or registered trademarks of their respective owners. PID 52386C



# The New Frontier in Digital Design: Automating Optimization

**T**he term that has lately been stirring up discussions and debates among *DE* editors is optimization. After a recent visit to Altair's office in Troy, MI, I found myself deep in conversation with *DE* Managing Editor Jamie Gooch and Executive Editor Steve Robbins about the very topic. It's important for us to have consensus, because we're considering a number of articles devoted to the subject in the year-end issue. The tone, the stories—and the perspectives of these stories—will very likely be determined by how we define optimization.

Altair recently launched [Altair-Enlighten.com](http://Altair-Enlighten.com), a site dedicated to reducing weight in product design. In Altair's own words, the Enlighten portal "strives to be the world's leading source for useful, informative and inspirational content concerned with minimizing the weight of products across industry."

## Evolving Optimization

One way Altair accomplishes optimization is with its SolidThinking Inspire and Evolve software duo. Through digital simulation, Inspire allows you to automatically identify the best (or optimal) shape for your design.

Suppose you're designing a gripper. Once you've defined the general region of your design (the block of geometry encompassing the gripper's profile) and the anticipated loads and pressures, Inspire can run simulations in the background, then reveal the best possible shape for your gripper. Evolve can then help you build manufacturing-suitable parts and assemblies based on the optimal topology discovered. The use of direct modeling—the push-pull approach to geometry creation—makes the whole process much easier, especially for those untrained in traditional CAD programs.


Along with Altair, many other CAD and simulation vendors are looking at optimization as the next big area to distinguish themselves from the rest. Autodesk Inventor's Optimization module lets you find the best alternative by running a series of what-if scenarios. With Autodesk's approach, you have the option to run multiple simulation exercises in parallel (arguably, the most compute-intensive portion of the task) in the cloud, on a remote server maintained by Autodesk and its partners. This avoids putting the burden on your personal workstation, which could become sluggish if it takes on multiple simulation jobs simultaneously.

## Optimization Approaches

SolidWorks, one of the most widely adopted MCAD packages, offers a built-in optimization function (in the Design Study tab) that lets you specify a variable range in your design (say, thickness within 0.5 to 1 in.), run multiple simulation sessions, then obtain the best value for your target criteria.

Another major CAD and PLM vendor, Siemens PLM Software, offers its own product based on NX Nastran. To explain its optimization approach, Siemens PLM Software notes, "Traditional 'build-test-review-improve' product cycles are typically performed using manual iterations. However, manual design sensitivity assessments are typically only based on changing one parameter at a time, to enable you to tell what causes the effects you see. NX Nastran Optimization streamlines and automates that process by using sophisticated algorithms to search the entire design space and find the right combination of parameters that will yield optimal design or performance."

As engineers' reliance on digital simulation grows, so does the number



A sequential view of how optimization occurs in Altair's Inspire and Evolve software duo.

of iterations they must perform to find the best answer. The preferred approach is to run multiple simulations in the background and let the software suggest the best possible answers. A human completes the review cycle by using his or her judgment, engineering instinct, and experience to select one of the software-suggested alternatives. In the case of vehicles and airplanes, reducing weight is arguably the best optimization exercise: The lighter the product, the less fuel it needs to operate, and the less material it requires to build. But in some consumer goods, you may have to add weight to ensure durability and strength. If you're designing parts that will eventually end up in a landfill, your optimization revolves around finding the best biodegradable material.

From overuse and hype, the term optimization, like its predecessor collaboration, could become an abstract term, a marketing slogan without substance. The optimal use of the term (if you'll permit me a pun) is to always qualify it with a concrete objective: Optimizing the design for environmental health, for quick deployment in combat zones, for longevity, for recycling, for easy assembly, for child-proofing, for ease of use, and so on.

# SIEMENS

© 2012 Siemens Product Lifecycle Management Software Inc. All rights reserved. Siemens and the Siemens logo are registered trademarks of Siemens AG. All other logos, trademarks or service marks used herein are the property of their respective owners.

NX CAE  
Symposium  
Oct 23-24

## Great decisions in product engineering #137.

A simulation specialist tries five design alternatives before lunch... and the company exceeds sales targets before mid-year.


NX CAE: Smarter decisions, better products.

Sometimes, the smallest decision in product engineering has the greatest impact on a company's success.

NX CAE from Siemens PLM Software gives everyone involved in analyzing your product's performance the solutions they need to efficiently model, solve and evaluate results. The benefit: your engineering organization rapidly explores game-changing alternatives, makes smarter more timely decisions—and delivers great products.

Find out how NX simulation solutions can help you make the decisions that make your product better.

Learn more at [siemens.com/plm/nxcae-symposium](http://siemens.com/plm/nxcae-symposium)



With NX CAE, engineers can modify geometry intuitively, update simulation models automatically, and evaluate design changes rapidly.

Answers for industry.



# Shape-based Search: The Key to Design Reuse

It's easy to forget that the ubiquitous search box that has become such an integral part of how we find and locate information today is a fairly recent phenomenon. It's made possible by search engine providers' preparatory effort to scan, classify and tag the vast body of knowledge we now have at our disposal. Without their service, it would take much more labor on our end to locate what we need, buried somewhere among homegrown cold remedies and scientific papers on the origin of the universe.

Finding and locating a 3D part, however, requires a slightly different approach, because the information you seek is geometric, not always describable in text strings, keywords and metadata. This is where emerging shape-based search technologies can give you an advantage. Shape-based searches scan, find and locate matching results based on geometry, not file names and tags alone; therefore, if the reference information is geometry—say, a unique type of bracket or a non-standard hammerhead—you have a much greater chance of locating matching models.

## Search Algorithms

A good example of a shape-based search technology is CADseek from iSeek. CADseek employs “fully automated shape coding” and “fully automated classification,” the company says. According to Abir Qamhiyah, president and CEO of iSeek, CADseek “doesn't work by predefined classifications, rule-based hierarchy ... We don't try to slice objects, we don't send down [the reference geometry] as skeleton, and we certainly do not depend on extracted views or


profiles to reduce the complexity of the geometry to the 2D domain. We take the full geometry content with its full richness, and feed it into our mathematical coding algorithm. The code becomes the exact correspondent of the true 3D content the shape owns.”

Google and other successful search engines accomplish this with sophisticated algorithms that take into account your past search history, the words and phrases you use to search, and display the results in order of relevance. The most likely answers appear at the top; the less-relevant answers are at the bottom.

## Keeping it in the Family

CADseek takes a similar approach. Once you pick an item in the result-browser window, you get what the software considers “family members”—items with similar geometric features. The closest relatives are at the top of the list; the more distant cousins (those with greater topology differences to your reference geometry) are at the bottom.

Consider, for instance, the hypothetical case of two nearly identical engine blocks created by different designers who don't know one another but work in the same company. With CADseek, you have the option to open up a 3D model as your reference, then search for matching shapes in your company database. In this example, even if the engineers were using different naming conventions and have a tendency to tag their works with different keywords when they deposit them into the company's CAD




iSeek's CADseek displays search results in its result browser.

library, the matching engine block will show up in CADseek's search results based on topology similarity. Such a query will prevent unnecessary duplication of work, and encourage people to reuse existing designs rather than create items from scratch.

Many product data management (PDM) and product lifecycle management (PLM) system providers recognize the importance of shape-based search. It's a feature they're actively working to incorporate into their technology, as an incentive for potential customers. Effective shape-based search must tackle two primary jobs: identifying topology similarities and displaying results in a comprehensible fashion. The latter is important when the results contain not a few dozens, but hundreds of hits, with minor differences in their geometry.

For a video demonstration of CADseek, visit [deskeng.com/virtual\\_desktop/?p=5951](http://deskeng.com/virtual_desktop/?p=5951). **DE**

**Kenneth Wong** is Desktop Engineering's resident blogger and senior editor. Email him at [kennethwong@deskeng.com](mailto:kennethwong@deskeng.com) or share your thoughts on this article at [deskeng.com/facebook](https://www.facebook.com/kennethwong).



# Really, Another CFD Solver?

**This is AcuSolve, not just another CFD solver.** It's finite element-based and achieves excellent correlation to industry standard benchmarks while being forgiving to the element quality of your model. Solution times are fast for both steady state and transient problems, plus AcuSolve uses a flexible licensing model that replaces expensive traditional plans. Accuracy, robustness, and speed, all part of HyperWorks, the broadest CAE platform. **Really.**

**Learn how AcuSolve can help you solve your CFD challenges by visiting [altair.com/really](http://altair.com/really)**

Follow Altair on:



Photograph courtesy of HTT Automobile  
[httsupercar.com](http://httsupercar.com)

### Northwestern Stretches Electronics Tech

Implanted electronics typically risk rejection, and most electronics have the potential to cause injury because the materials they are constructed from are far more rigid than the fleshy human body. Researchers at Northwestern University's McCormick School of Engineering have been working on this problem—and as a result, have designed flexible electronics that could be used for remote patient monitoring, among other applications.

The new electronics are able to stretch to more than 200% of their original size. According to the university, that is four times greater elasticity than is available now. The secret to the breakthrough is the result of combining a porous polymer and liquid metal, with no loss of conductivity.

“With current technology, electronics are able to stretch a small amount, but many potential applications require a device to stretch like a rubber band,” says Yonggang Huang, Joseph Cummings professor of Civil and Environmental Engineering and Mechanical Engineering. “With that level of stretchability we could see medical devices integrated into the human body.”

**MORE →** [engineeringontheedge.com/?p=2193](http://engineeringontheedge.com/?p=2193)

### Simulation Drives Magnetic Drive Systems

In any design project, simulation plays a key role in testing (and discarding) the often-countless possible variations of any given construct. But that's something Sheffield, UK-based Magnomatics has been able to leverage in the design of its magnetic power transmissions.

The company has developed a direct drive system called the Pseudo Direct Drive that integrates a permanent magnet motor with non-contact magnetic gearing. The system delivers enough torque density that it can be packaged in a vehicle's wheel.



The company's engineers evaluated thousands of design variations using Cobham's Opera electromagnetic simulation tool. Magnomatics has built a library of magnetic gear and motor/generator design utilities that allow engineers to investigate new powertrain designs quickly.

**MORE →** [engineeringontheedge.com/?p=2183](http://engineeringontheedge.com/?p=2183)

### Fast Data Transfers

Using beam-twisting phase holograms, an international research team was able to twist light beams into a helical shape to create a data stream channel that could transfer multiple terabits of data each second.

Laboratory tests of this “twisted light” method of transmitting data can reach speeds of 2.56 terabits per second (Tbps), which is 85,000 times faster than current broadband speeds. Data was beamed across open space during the tests.

But here's the bad news: Atmospheric conditions interfere with the beams, except over very short distances. It would, however, work very well in space, which is why the Defense Advanced Research Projects Agency (DARPA) is giving it a look for satellite communications.

**MORE →** [engineeringontheedge.com/?p=2145](http://engineeringontheedge.com/?p=2145)


### USC Builds a Holodeck

Students from the University of Southern California (USC) are trying to replicate Star Trek's interactive, 3D room. In the process, they may create a lower cost alternative to more expensive VR systems.

Of course, it doesn't work quite like its fictional counterpart. Project Holodeck incorporates an Oculus RIFT headset to provide the visuals, PlayStation Move to track participants' heads, and Razer Hydra motion sensing technology.

The Oculus RIFT headset was designed as an inexpensive VR headmount display. Unveiled at the E3 Expo in May, the device is targeted at consumers (and gamers), but could provide VR capabilities for less than \$500 per unit. **DE**

**MORE →** <http://www.engineeringontheedge.com/?p=2300>



### Spray-on Battery Technology in Development

**A**ccording to recently

published research from Rice University, new “spray-on” battery technology could potentially turn any surface into an energy storage device.

The scientists developed paintable versions of each of the five layers of a typical lithium ion battery. They successfully tested the paints on ceramic bathroom tiles, glass, flexible transparency film, stainless steel, and even the side of a beer stein.

The next step is to make the materials less reactive to air and moisture—particularly the electrolyte separator layer, which can explode when it comes into contact with air.

**MORE →** [engineeringontheedge.com/?p=2166](http://engineeringontheedge.com/?p=2166)



# Design & Simulate Without the Wait!

## New NVIDIA® Maximus™ Technology Provides Integrated Workflow on a Single WhisperStation™

WhisperStation – Maximus enables you to visualize on the NVIDIA Quadro® GPU, while automatically offloading simulation and rendering onto the NVIDIA Tesla® GPU. By providing explosive performance, WhisperStation – Maximus shortens your development time and accelerates your workflow.

Faster and Greener Computing with:

- ▶ NVIDIA Quadro® GPUs for visualization + NVIDIA Tesla GPUs for lightning-fast computation
- ▶ High clock speed Intel® CPUs; SSDs and/or RAID for fast I/O; up to 8 drives
- ▶ 1P Configuration – 4 or 6 core Intel CPU, 2 GPUs, and 8 DIMM sockets for up to 64 GB DDR3 Memory
- ▶ 2P Configuration – two 4, 6, or 8 core Intel CPUs, 1 to 4 GPUs, and 16 DIMM sockets for up to 512 GB Memory
- ▶ 80 PLUS™ certified power supplies, ultra-quiet fans, sound proofing materials and high-efficiency components
- ▶ Linux and/or Windows configured, tested and ready to run your applications
- ▶ PCI-E Gen3 support for future Tesla and Quadro upgrades



### Put Our Expertise to Work For You

Users worldwide pushing the limits of technology in engineering, simulation, media, and research rely on Microway's expertise and attention to detail. From configuration to integration to technical support, we've been resolving the complicated issues – so you don't have to – since 1982.

### Call a Technical Advisor at 508-746-7341

Visit [microway.com/maximus](http://microway.com/maximus)

Sign up for our technical newsletter at [microway.com/newsletter](http://microway.com/newsletter)

Visit our blog at [microway.com/hpc-tech-tips](http://microway.com/hpc-tech-tips)

### Maximus Certified Applications Include:

#### 3d Design

#### Media

#### Engineering

3ds Max®	Adobe® CS6	ANSYS® Mechanical
Bunkspeed	Adobe CS5	SIMULIA®
CATIA® V5/V6	Maya®	SolidWorks®
PTC Creo™		MATLAB®

### CUDA-Enabled Applications Supported by WhisperStation:

Abaqus, Acusim Acusolve, Fluent, MSC Nastran and Moldflow for Simulations AMBER, CUDA-BLASTP, GROMACS, LAMMPS, NAMD, Quantum ESPRESSO, TeraChem and VMD for BioTech



GSA Schedule  
Contract Number:  
GS-35F-0431N

### Solidscape Announces 3Z Pro

Solidscape, a Stratatsys company, has announced its newest 3D printer,



the 3Z Pro. This system continues the use of Solidscape's drop-on-demand (DOD) thermoplastic ink-jetting technology, along with precision milling of each layer. For those unfamiliar with Solidscape, the company's process is mainly used to create objects for lost-wax casting/ investment casting and mold-making applications, using a wax-like material.

The 3Z Pro is a desktop printer, weighing in at 80 lbs. and a footprint of 21.4x18x16 in. It has a build envelope of 6x6x4 in., with a resolution of 5,000 x 5,000 dpi and an accuracy of ±0.001 in.

**MORE** → [rapidreadytech.com/?p=1802](http://rapidreadytech.com/?p=1802)

### Aluminum Composites Research Advances

Researchers from the UK's University of Exeter published a paper in the *Journal of Alloys and Compounds*, documenting their work with aluminum composites for use in additive manufacturing (AM), specifically for use in laser sintering.

The goal of the Exeter researchers was to find specific powder mixes of aluminum and other metals. By mixing in an iron oxide combination, for example, the team was able to build objects with complex geometries that retained the light weight of aluminum, but were more durable.

The new materials have fine particles compared with other composites, making them more robust. The reaction between constituents releases energy, which also means materials can be produced at a higher rate using less power. This technique is cheaper and more sustainable than other selective laser melting methods.

**MORE** → [rapidreadytech.com/?p=1837](http://rapidreadytech.com/?p=1837)


### Harvard 3D Prints Articulated Characters

A group of Harvard researchers have created software that translates video game character images (or other 3D animations) into CAD-ready files for 3D printing of articulated models.

The work resulted in a paper titled "Fabricating Articulated Characters from Skinned Meshes" for the *Association for Computing Machinery's (ACM's) Transactions on Graphics* journal.

They used models from the video game *Spore* to test the software. To fabricate the designs using a 3D printer, the researchers developed a software tool that creates a CAD model. To add articulation, the software then identifies the most logical location for joints and determines the best size and location of the joints for a real-world model.

**MORE** → [rapidreadytech.com/?p=1938](http://rapidreadytech.com/?p=1938)



### 3D-printed 'Magic Arms' Bring Joy to Young User

Emma Lavelle was born with arthrogryposis multiplex congenita (AMC). The condition made it impossible for her to raise her arms by herself. While at an AMC conference, her parents learned about the Wilmington Robotic Exoskeleton (WREX), an upper-body exoskeleton that provides support for children.

"The existing WREX was all metal parts, and it's kind of big, and Emma was too small for that," said Tariq Rahman, head of pediatric engineering and research, Nemours/Alfred I. duPont Hospital for Children in Wilmington, DE. "So we required something light and small that would attach to her body and go with her."

Rahman used a Dimension SST 1200es printer from Stratatsys to build a small, lighter version of WREX using AM parts. The ABS plastic WREX also turned out to be durable enough for everyday use.



Emma called the exoskeleton her "magic arms" and would begin to cry if they were taken away for repair. Since the creation of the smaller WREX, 15 other children have benefited from 3D printed exoskeletons.

**MORE** → [rapidreadytech.com/?p=1949](http://rapidreadytech.com/?p=1949)

### Case Study: Applied Technology Integration

Applied Technology Integration (ATI) provides product development, engineering, finite element analysis (FEA), design, prototyping and testing services. The company was recently contracted to assist in the development of a new hybrid drive technology. The client had experience with hydraulics and electronic controls, but no in-house expertise in drivetrain design.

The specific need was for a gearbox and transfer case. According to ATI, it can often take up to a year to develop a new drivetrain, transmission and transfer case. Using additive manufacturing (AM) can cut that time to about 170 days.

ATI used the AM prototype it created to focus on specific areas in which it had less confidence. After reworking the design based on the prototype, the next iteration of the design succeeded in repeatability tests. **DE**

**MORE** → [rapidreadytech.com/?p=1993](http://rapidreadytech.com/?p=1993)

# MathWorks' Simulink Family: Have Equation, Will Travel

By Ji M Ro MEO

Based in Germany, Steve Miller is a technical marketing manager for physical modeling products for MathWorks. *Desktop Engineering* recently spoke with Miller to understand some of MathWorks' latest products, its philosophy in offering physical modeling software, the Simulink family of products, and its SimPowerSystems product:

**DE:** Can you give us an overview of Simulink?

**SM:** Simulink is an environment for multi-domain simulation and model-based design (MBD) for dynamic and embedded systems. MBD with MATLAB and Simulink provides an interactive graphical environment and a customizable set of block libraries that allows engineers, scientists and researchers across the globe design, simulate, implement and test a variety of time-varying systems, including communications, controls, signal processing, video processing and image processing.

MBD begins with the creation of an executable specification that can be linked to the original requirements, providing two-way traceability between the design and the requirements. At the heart of the executable specification is an executable model, used and elaborated on throughout the process. The executable specification can also include inputs and expected outputs, the application environment and clear communication of the design goals to enable feasibility analysis of the requirements. By using the links in the executable specification to the original requirements, engineers can monitor whether the design conforms to the requirements throughout the process, and quickly assess the impact of a proposed change on original requirements.

**DE:** Let's talk a little about your recently released SimPowerSystems.

**SM:** SimPowerSystems is used to model and simulate electrical power systems, covering the generation, transmission, distribution and consumption of electrical power. For example, it includes the power supplies used in laptops, power converters used in solar power systems and electric drives, and the electrical grid that transmits and distributes renewable energy sources to our homes. SimPowerSystems provides models of many components used in these systems, and automates key power system analyses, such as those used to check required component sizes and detect harmonics or other problems in the system.

The recent announcement discusses the new, stronger connection from SimPowerSystems to Simscape and other physical modeling products in the Simulink family. With new capabilities such as support for the Simscape Editing Mode, SimPowerSystems 5.5 now offers engineers the ability to share models of electrical power systems with all other Simscape users. SimPowerSystems models can connect to models built using Simscape and other domain-specific add-on products, such as SimMechanics and SimHydraulics—helping engineers detect integration issues among electrical, mechanical and control systems early in the development process.

**DE:** From your point of view, what do your products offer that other simulation software developers do not offer?

**SM:** Through the MATLAB and Simulink families, MathWorks products offer a development environment where engineers create a model of the entire system that is used throughout the entire

development process.

There are two key points in that statement: the entire system and the entire development process. Engineers can add just as much detail as they need for a given task, and quickly adjust the level of fidelity of any part of their system as necessary. This makes it possible to simulate the entire system in a reasonable amount of time, and find integration problems early. By using the same model from start to finish, from requirements gathering and refinement through testing of the final software design on the embedded system, it enables engineers to be extremely efficient by detecting problems as early as possible.

**DE:** What attributes of simulation software truly drive its effectiveness?

**SM:** The effectiveness of simulation software can be measured by its capabilities that help an engineer get the job done quickly. Anything provided that saves engineers time will make them more effective.

With MATLAB, engineers can automate virtually any task they need to perform in the MathWorks toolchain, eliminating repetitive work. SimPowerSystems and SimDriveline make it possible for engineers to model a physical system without deriving and programming equations, allowing them to spend more time on design and analysis—and less time on programming and implementation. **DE**


**Jim Romeo** is based in Chesapeake, VA. Contact him via [de-editors@deskeng.com](mailto:de-editors@deskeng.com).

**iNfo** → MathWorks: [MathWorks.com](http://MathWorks.com)

For more information on this topic, visit [deskeng.com](http://deskeng.com).



Each week, Tony Lockwood combs through dozens of new products to bring you the ones he thinks will help you do your job better, smarter and faster. Here are Lockwood's most recent musings about the products that have really grabbed his attention.



## 3D CAE Software Simulates Injection Molding Processes

*SIGMASOFT simulation models said to integrate into a network automatically.*

SIGMASOFT 3D injection molding simulation software is now available from Illinois-based Sigma Plastic Services. This company is a branch of SIGMA Engineering GmbH, which itself is a company owned by the German company MAGMA. MAGMA is considered among the top global developers of metal casting simulation technologies.

SIGMASOFT CAE software is self-described as design- and process-integrated software for injection molding simulation. SIGMASOFT has been 3D from the get-go, and it has CAE capabilities like steady state mold temperature, shear imbalances, and shrinkage.

**MORE** → [deskeng.com/articles/aabfjj.htm](http://deskeng.com/articles/aabfjj.htm)



## eDrawings for the iPad

*Share product design information via representations of 3D models and 2D drawings.*

For those of you in the dark, eDrawings is an e-mail enabled tool for sharing 2D and 3D models. We're talking here of the eDrawings viewer — well, viewer-plus, which I'll get to. Anyone with an iPad can use this app immediately regardless of CAD-compatibility or CAD operating experience. The download, which was no time, was

longer than the learning curve.

Anyway, say you desperately need me to review some SolidWorks or Inventor model — or Solid Edge, STL, etc. — but I'm with the client. You use eDrawings Professional to make then send me a copy of the file. Here comes the plus part ...

**MORE** → [deskeng.com/articles/aabfmg.htm](http://deskeng.com/articles/aabfmg.htm)




## SuperWorkstation Certified for NVIDIA Maximus

*Single workstation provides simultaneous design and simulation workflows.*

There are workstations and there are enterprise-class workstations. Super Micro Computer makes enterprise-class workstations — high-end workstations to be precise. For that matter, Super Micro Computer may well have made the servers that are running the data center or the cloud computing infra-

structure that you use every day. Serious stuff for compute-intensive jobs is what they do, so I could not help but notice when the company announced a new NVIDIA Maximus certified addition to its SuperWorkstation line the other day. Let's take a look at this.

**MORE** → [deskeng.com/articles/aabfpa.htm](http://deskeng.com/articles/aabfpa.htm)



## Noesis and Maplesoft in Design Optimization Partnership

*Direct connection links OPTIMUS with Maple and MapleSim.*

Noesis Solutions has this system called OPTIMUS that brings together various design optimization tools into an integrated workflow. What you're talking about with OPTIMUS is a system for design exploration and optimization, robustness and reliability, process integration, and even data mining. It seems to have everything from Paretos to DOEs to response

surface models to that Taguchi stuff that, um, I never quite got into my head.

A neatness of OPTIMUS I learned of is that it automates robustness assessments. Its optimization algorithms are intended to lead your simulation to the most promising designs.

**MORE** → [deskeng.com/articles/aabfrn.htm](http://deskeng.com/articles/aabfrn.htm)



## The Jet Set

*Martin Aircraft Co. innovates the world's first practical jetpack with SolidWorks solutions.*

Creating a jetpack for the mass market has long been Glenn Martin's dream. For the past 30 years, the founder of Martin Aircraft has pursued that goal. In 2008, he moved all development onto a 3D design platform to accelerate the process. The move resulted in the selection of the Martin Jetpack as one of *Time* magazine's 50 Best Inventions of 2010.



Martin Aircraft selected SolidWorks solutions to finalize development of the jetpack, implementing SolidWorks Professional and SolidWorks Premium design software, and SolidWorks Simulation and SolidWorks Flow Simulation analysis tools.

The Martin Jetpack uses vector controls and a custom-designed gasoline engine, which drives twin-ducted fans that produce sufficient thrust to lift and stabilize the jetpack during vertical takeoff and landing, enabling sustained flight.

**MORE** → [deskeng.com/articles/aabgfx.htm](http://deskeng.com/articles/aabgfx.htm)

## More Power to Them

*Nexterra Systems reduces renewable-energy project hours by 45% with Adept Engineering document management.*

Biomass gasification provides a clean, low-cost means of converting renewable biomass fuels into synthetic gas to produce heat and power. Vancouver-based Nexterra Systems Corp. designs and supplies biomass gasification systems for industrial customers and public institutions that want to reduce energy costs and comply with environmental mandates for renewable energy. To stay competitive in this expanding market, Nexterra needed long-term business strategies that pare down project expenses and reduce project times.



"Our projects can take thousands of hours over a period of six to 18 months," explains Dragan Strujic, Nexterra's chief designer.

When Strujic started working at Nexterra two years ago as supervisor of the mechanical design department, he was tasked with improving design and documentation.

**MORE** → [deskeng.com/articles/aabgfy.htm](http://deskeng.com/articles/aabgfy.htm)

→ For the complete application stories visit [deskeng.com/fastapps](http://deskeng.com/fastapps)

Lenovo® recommends Windows® 7 Professional.

MONTHS OF PLANNING | A FUTURISTIC MOVIE SET | AN IDEA TURNED TO REALITY.

**lenovo**® FOR THOSE WHO DO.

**DREAM. CREATE.**

**INTRODUCING THE Lenovo® THINKSTATION® 30 SERIES, FEATURING THE D30 FOR HIGH-END GRAPHICS AND PROCESSING POWER.**

Energy-efficient • Quiet Acoustics • Scalable Storage • ISV-certified

[www.lenovo.com/thinkstation](http://www.lenovo.com/thinkstation)

Lenovo, the Lenovo logo, For Those Who Do and ThinkStation are trademarks or registered trademarks of Lenovo. Microsoft and Windows are registered trademarks of Microsoft Corporation in the U.S. and other countries. Nvidia is registered trademarks of Nvidia Corporation in the U.S. and other countries. © Lenovo 2012. All rights reserved.

# Virtualization and the GPU

How GPUs can deliver engineering application performance.

BY PETER VARHOL

As graphics processing units (GPUs) expand their processing capabilities beyond graphical computation and rendering, engineering organizations are seeking ways to leverage their superior floating-point capabilities in day-to-day work. GPUs from the likes of NVIDIA and AMD can speed up the execution of numeric computations by a factor of 10 or more over conventional, industry-standard CPUs.

At the same time, engineering application providers such as ANSYS are building versions of their software that execute specifically on GPUs. These applications are able to dispatch computationally intensive operations to the GPU, where the computations are performed and returned to the application for further analysis and display.


Rewriting applications for GPU execution is a non-trivial job for vendors, and maintaining versions for both types of processors is an expensive proposition, so MATLAB offers similar capabilities for custom engineering applications, letting users dispatch portions of code and data to the GPU for execution. MATLAB instructions enable engineers to modify existing code to designate routines to run on an individual GPU or GPU parallel cluster, enabling millions of lines of MATLAB code to run substantially faster. Third-party products like AccelerEyes Jacket also provide the ability to run MATLAB and other language code on NVIDIA GPUs, providing a more automatic means of converting CPU code to optimized GPU instructions.

But these capabilities are largely limited to individual applications and workstations, and systems with one or more GPUs that are networked to standard servers or workstations. Can engineering organizations take advantage of broader capabilities of GPU-enabled systems? Is there a way to expand the use of GPUs beyond individual workstations, so that engineers and other professionals can make effective use of this power?

## Bringing Virtualization to Bear

The answer is yes. Thanks to a new virtualization capability by GPU vendor NVIDIA, it is possible to equip a server with a GPU board that is virtualized across multiple users on the network. That server can serve up multiple GPU desktops and applications to each engineer, providing a GPU for rendering or computation as required.

NVIDIA recently unveiled its VGX platform, which enables organizations to deliver a virtualized desktop with the graphics and GPU computing performance of a PC or workstation to engineers using any connected device. That includes tablets, smartphones and embedded display devices such as manufacturing control machines.



The NVIDIA VGX Hypervisor provides that software interface that creates and manages the virtual machines for multiple workstations.

## The VGX in Practice

The working model looks something like this: An engineering group has a number of individual engineers with workstations. These engineers are performing a variety of different activities, including design, analysis, simulation, Web searches, email and general office activities. When they do engineering tasks requiring a lot of computation, and the software supports GPU execution, they can open a virtual machine to the VGX card on the server and launch the required application. The GPU delivery mechanism also works for graphics rendering jobs, allocating graphics performance when and where needed. When completed, they close the session and return the GPU resources to the server.

While the alternative would be to outfit all workstations with GPU cards, this is a more cost-effective approach in a group that requires broad, but sporadic access to GPU resources. The resources are effectively shared from a server based on when and where they are needed.

According to Jeff Brown, general manager of the Professional Solutions Group at NVIDIA, the VGX board “delivers an experience nearly indistinguishable from a full desktop, while substantially lowering the cost of a virtualized PC.” NVIDIA estimates that up to 100 users can be supported by a single VGX board, depending on the resources required. The company will develop other board configurations based on what engineering groups need in the future.

# Who Needs GPUs? Workstation Clusters Have Arrived

**G**eneral-purpose CPUs haven't conceded an inch to the power of graphics processing units (GPUs) for computationally intensive engineering work. In fact, Intel has managed to lay the groundwork for harvesting a far greater proportion of available CPU processing power than ever through the concept of workstation clusters. These clusters incorporate a fast—at least 1Gbps—private network, Intel's Vt-D hardware virtualization technology, and Parallels' Workstation Extreme virtualization software.

Workstation Extreme running on up to eight Intel Xeon-based workstations is able to create a large virtual working space consisting of processor cores, memory and disk space. These resources can execute computationally intensive applications that can be parallelized to run on the available cores. The engineer running interactive tasks such as document processing and email kept a portion of the memory and processing cores, and the rest is devoted to the batch simulation job.

The key to making this ad hoc cluster work for engineering applications is Intel Vt-D, a way of virtualizing I/O, including network I/O, at close to hardware speeds. This enables the memory bandwidth, network performance, and disk access to keep up with the demands of a distributed cluster running engineering computations in parallel.

The technology is new, but proven. There are already a few workstation clusters in engineering groups that are doing real engineering work, bringing the computation and the results closer to the engineers' desktops than ever before. This means little or no waiting for scheduling—and the ability to view results when they are ready, rather than when the data center sends them over. While workstation clusters can't yet handle the biggest analysis and simulation jobs, they can do enough to help change engineering practices. —PV

There are actually three parts of the VBX approach to virtual computing: the board, the hypervisor, and the User Selectable Machines (USMs). The initial NVIDIA VGX board features four GPUs, each with 192 NVIDIA compute unified device architecture (CUDA) cores and 4GB of frame buffer, for a total of 768 cores and 16GB of DDR3 memory. It plugs into a standard server in the data center, and provides the hardware resources needed.

The hypervisor is the virtualization software. The NVIDIA VGX GPU Hypervisor is a software layer that integrates into a commercial hypervisor, enabling access to virtualized GPU resources. It is specifically designed to integrate with standard virtualization hypervisors such as the Citrix XenServer, so that virtualized resources cover both GPU and CPU operation.

The USMs are a manageability device that allows administrators to configure the GPU capabilities delivered to individual users in the network, based on their needs. This can range from a standard PC-quality interface to full 3D design and rendering, and can be controlled from a central location.

As with CPU virtualization, the value is in the ability of the hypervisor and supporting software to provide I/O at near hardware speeds. This enables data to get in and out of GPU memory and cores quickly, making close-to-real-time rendering and computation feasible under many more circumstances.

GPU virtualization using NVIDIA VGX isn't for every engineering group. If all engineers use high-resolution graphics and do a lot of computation, individual workstation solutions such as NVIDIA Maximus may make more sense. But desktop virtualization for rendering and computation adds to the number of ways engineers can take advantage of GPUs to accelerate many operations engineers need on a daily basis.

For widespread, but occasional use of GPU graphics and computation capabilities, NVIDIA VGX can address a lot of diverse needs. **DE**

---

*Contributing Editor **Peter Varhol** covers the HPC and IT beat for DE. His expertise is software development, math systems, and systems management. You can reach him at [de-editors@deskeng.com](mailto:de-editors@deskeng.com).*

INFO → **AccelerEyes:** [AccelerEyes.com](http://AccelerEyes.com)

→ **Advanced Micro Devices:** [AMD.com](http://AMD.com)

→ **ANSYS:** [ANSYS.com](http://ANSYS.com)

→ **Citrix Systems:** [Citrix.com](http://Citrix.com)

→ **Intel:** [Intel.com](http://Intel.com)

→ **MathWorks:** [MathWorks.com](http://MathWorks.com)

→ **NVIDIA:** [NVIDIA.com](http://NVIDIA.com)

→ **Parallels:** [Parallels.com](http://Parallels.com)

For more information on this topic, visit [deskeng.com](http://deskeng.com).

# Consumer PCs vs. Pro Workstations

Consumer brands cost less initially, but incompatibility with professional software may add costs down the road.

By Kenneth W Ong

**O**n any given weekend, offers from local retailers arrive at your doorsteps—literally. Spilling out of a bloated Sunday paper, the special inserts from Best Buy and Fry's compete for your attention, right alongside discount coupons from Safeway and Macy's.

Looking at those consumer PCs listed for \$400 to \$600, you must have wondered: Why bother with a workstation that can set you back anywhere from \$1,000 to \$5,000? Why not grab a top-of-the-line consumer brand, add a couple gigabytes of memory, add a graphics processing unit (GPU), upgrade the storage to a couple of terabytes, and turn it into your own homegrown workstation?

Although the savings offered by this approach may be tempting, the resulting system may create unanticipated side effects. The unstable system may also jeopardize your work, prompting you to spend more time troubleshooting and rebooting.

There is, however, another option: The new entry-level workstations, often priced below \$1,000, are developed and designed specifically to run professional software. They are a beginner's workstation, with room to grow as the owner transitions from prosumer to professional.

## Certified Stability

The three household names in the PC market—Dell, HP and Lenovo—all offer different brands targeting consumers and professionals. Dell's dedicated consumer line is Inspiron; HP's is Pavilion, and Lenovo's are IdeaCenter and ThinkCenter. For professionals, Dell offers Precision workstations, HP offers Z-series workstations, and Lenovo offers ThinkStation workstations.

"A turbocharged, high-end consumer PC is certainly a powerful piece of equipment," says Tom Salomone, HP's marketing manager for workstations. "But it's not intended for the types of applications that people use in design work."



HP's entry-level professional workstation, the Z210, is priced below \$1,000—a price point compatible with a top-of-the-line consumer model.

The stability of a system during CAD operations, Salomone points out, comes from "a lot of work from the [system] manufacturer, in terms of testing drivers, testing out different applications to make sure things work ... It's called certification. It's a lengthy process. Some can run up to four weeks."

There's a tremendous amount of effort that goes on between independent software vendors (ISVs) and original equipment makers (OEMs), notes Richard Runnels, Dell's vertical marketing strategist for the Precision product line: "Products are certified by the ISVs to work with a specific version of their software in a specific configuration of hardware ... All of our Precision workstations are tested in that format. It provides customers with a level of security knowing that a particular hardware configuration is going to work with their software version."

## ISVs' Role

Many ISVs see powerful Windows desktops—professional workstations in particular—as the ideal platform for operating high-end CAD programs, but some look to expand their reach by lowering the barrier of entry. In the case of Autodesk, the company is "committed to ensuring its solutions run on the minimum specifications we publish regardless of whether that hardware is con-



Microway's professional workstation line, WhisperStation, begins at \$1,800.

sidered consumer or professional," according to Steve Hooper, senior product manager for Autodesk Product Design Suite, Manufacturing. Among major CAD developers, Autodesk is arguably the most enthu-

siastic in advocating the use of its software on all hardware platforms, including mobile tablets, cloud-hosted environments, and even Mac OS.

However, there may be areas where a user cannot get peak performance from a modeling program when running a consumer system. Pete Lord, Autodesk's senior product manager, Design, Lifecycle and Simulation (DLS) Product Group, pointed out, "Autodesk Inventor features direct 3D capability [which doesn't rely on special hardware to deliver visualization], so this is not a significant concern, but older generation graphics cards may not provide access to all of Inventor's rich graphics capability ... Inventor has added support for multicore computing in several areas. If a consumer computer doesn't include multicore support, these performance benefits will be forgone." Nevertheless, if you're running Autodesk software on a system that meets minimum requirements, the company will offer tech support.

### Visuals vs. Accuracy

Professional design programs usually take advantage of a GPU to display complex surfaces and assembly models with accuracy. In most consumer-brand PCs, the GPU upgrade options are limited to those developed for gaming, multimedia and entertainment—not ideal for design programs.

GPU maker NVIDIA, for example, offers the GeForce product line for consumers, and Quadro and Tesla for professionals. (Quadro is often used in individual workstations and Tesla in high-performance computing clusters;

however, in the newer Maximus-class workstations, buyers have the option to deploy more than one GPU in a single machine to boost its parallel processing power.) NVIDIA's rival Advanced Micro Devices also offers two distinct lines: Radeon for general consumers, and FirePro for professionals.

"A CAD application is a massive piece of software," says HP's Salomone. "It's going to take control of your screen and calculate forms that are accurate in terms of geometry.

## SIMULATION WORKSTATIONS

FEATURING THE INTEL® XEON® PROCESSOR E3-1200V2 FAMILY

Rave's simulation workstations are optimized for the applications you use every day. Maximize your productivity and graphics performance with systems tailored to your specific requirements.



[www.rave.com](http://www.rave.com)

**RAVE**  
COMPUTER

Every CAD application is a little different in how it treats the visualization ... In order to run something like that, you need stability in your system and in your graphics.”

“The ISVs I work with do not certify non-professional graphics cards,” says Dell’s Runnels. “When you play games, you’re looking for visuals; when you’re building a CAD model, it needs to be airtight so you can run analysis programs and later use that model for machining. For that, you need a level of complexity and error-correction significantly beyond a gaming graphics card.”

Eliot Eshelman, senior technical account manager at Microway, notes that professional GPUs feature dual-DMA, or dual copy, engines—“allowing data to simultaneously move in and out of GPU memory. Consumer products move data in only one direction at a time, which reduces performance and lowers frame rates. Other functions, which are never needed in games, but frequently required by professional applications, are completely missing from consumer cards.”

## Error Detection and Correction

Almost all professional workstations come preloaded with error correction code (ECC) memory, marked by its inherent ability to detect and correct errors. Engineering applications—and finite element analysis (FEA) programs in particular—rely heavily on the memory footprint to calculate,

solve and process complex algorithms in digital prototyping exercises. Therefore, ECC memory provides added assurance of the accuracy of the results. ECC memory finds and fixes 99.988% of all soft memory errors, according to Intel.

Wes Shimanek, Intel’s workstation segment manager, technical computing group, points out that while most users just don’t want to believe an error will occur, “a study by Lambda Diode would make you think twice: It suggests that there is a 96% chance you will experience a memory error every three days. If you are not using the part of the memory that failed, you do not notice it. But the worst part is, if it is a soft error, you do not see it, either—and that can be catastrophic.”

“The consumer equipment generally has lower ceilings on system memory,” says Microway’s Eshelman. “Will the engineer’s models fit? Error-correcting memory is usually only available on professional equipment. Can the engineer get by when single-bit errors go unnoticed and change the results of simulations?”



Dell’s entry-level workstation T1600 was later replaced with the T1650, shown here.


## Introduce Sefea to your Designer

*She makes simulation possible early in the design process*

The new KeyCreator Analysis with Sefea Technology is a fast accurate and easy-to-use analysis tool. Optimize designs sooner for:

- Higher quality products
- Lower product costs
- Reduced prototyping expenses
- Quicker time-to-market

Scan to request the Sefea Technology White Paper



[www.kubotekusa.com](http://www.kubotekusa.com)

KEYCREATOR ANALYSIS

KUBOTEK  
MASTER YOUR GEOMETRY

## Starter Workstations

In mid-2011, PC vendors began delivering a new type of workstation, targeted at budget-conscious buyers. HP's first product was the Z210, priced beginning from \$569. Dell's entry-level desktop tower, the T1650, was priced at \$549.

Microway concentrates on servers, storage devices, and professional workstations. Its WhisperStation workstations are priced beginning at \$1,829.

Consumer PCs undeniably offer price advantage in initial investment, but bear in mind that workstations are usually investments in revenue-generating professional activities. In the long run, the number of unexpected errors and system crashes resulting from running professional software on an unsanctioned hardware platform may undo the initial saving that comes with a turbocharged consumer PC.

"Intel Xeon processor-based workstations are much more than a turbocharged PC. They are workload-optimized innovation platforms that today are surprisingly affordable when compared to a PC," says Frank Soqui, Intel's workstation general manager, technical computing group. "Sure, you can save a few dollars in hardware by buying a PC, but the money you save up front will probably be eroded in less than three months in the lost time while engineers wait for results from high-value activities (e.g. simulations or ray-traced images) that play an enormous part in product decisions."

Microway's Eshelman agrees. "Often a workstation purchased from a vendor who specializes in customized, professional configurations will outperform the top end of a consumer stock-keeping unit," he concludes. "While such systems may seem expensive up front, they will perform for years—and save you time, energy and money in the long run." **DE**

**Kenneth Wong** is Desktop Engineering's resident blogger and senior editor. Email him at [kennethwong@deskeng.com](mailto:kennethwong@deskeng.com) or share your thoughts on this article at [deskeng.com/facebook](http://deskeng.com/facebook).

INFO → Advanced Micro Devices: [AMD.com](http://AMD.com)

→ Autodesk: [Autodesk.com](http://Autodesk.com)

→ Dell: [Dell.com](http://Dell.com)

→ HP: [HP.com](http://HP.com)

→ Intel: [Intel.com](http://Intel.com)

→ Lambda Diode: [Lambda-Diode.com](http://Lambda-Diode.com)

→ Lenovo: [Lenovo.com](http://Lenovo.com)


→ Microway: [Microway.com](http://Microway.com)

→ NVIDIA: [NVIDIA.com](http://NVIDIA.com)

For more information on this topic, visit [deskeng.com](http://deskeng.com).

## Opera v15 for Motor and Generator Design from Cobham Technical Services

# COBHAM



See the future of **Virtual Design**

Visit: [www.operaFEA.com](http://www.operaFEA.com) or call: (630) 851 1734

### Opera Features:

- Advanced multi-physics finite element analysis
- Rapid design and prototyping software
- Electromechanical and thermal simulation
- Accuracy comparable to experiment

 LinkedIn <http://linkd.in/RA7ib0>



# Upwardly Mobile

The new HP EliteBook 8560w mobile workstation with DreamColor display improves upon its predecessor.

BY DAVID COHN



INFO → HP: [HP.com](http://HP.com)  
**HP EliteBook 8560w**

- **Price:** \$4,063 as tested (\$1,549 base price)
- **Size:** 14.7x9.9x1.7-in. (WxDxH) notebook
- **Weight:** starting at 6.69 lbs., 7.9 lbs. as tested, plus power supply
- **CPU:** 2.30GHz Intel Core i7-2820QM quad-core with 8MB L3 cache
- **Memory:** 16GB 1333MHz DDR3 SDRAM (32GB max)
- **Graphics:** NVIDIA Quadro 2000M with 2GB memory
- **LCD:** 15.6-in. diagonal 16:9 LED-backlit FHD anti-glare DreamColor (1920x1200)
- **Hard disk:** 500GB, 7,200 rpm 2.5-in. Smart SATA II
- **Optical:** Blu-ray Disc ROM DVD+/-RW SuperMulti DL
- **Audio:** microphone and headphone jacks, built-in microphone and speakers
- **Network:** integrated Intel Gigabit Ethernet (10/100/1000 NIC); Intel 802.11 wireless LAN; optional integrated Bluetooth 2.1; optional Mobile Broadband (requires separate mobile service)
- **Modem:** 56K V.92 modem
- **Other:** two USB 3.0, two USB 2.0, one eSATA/USB 2.0 combo port, one IEEE 1394a Firewire, media card reader (SC, SD, MMC, MS/Pro, XD), one Express Card/54 slot, one Smart Card reader, DisplayPort, 15-pin VGA, 720p HD webcam
- **Keyboard:** integrated 101-key keyboard with numeric keypad
- **Pointing device:** integrated three-button touchpad and pointing stick, fingerprint reader

**H**P has a long history of building powerful mobile workstations, so we were excited when the company's latest offering arrived. The HP EliteBook 8560w is the newest in a line of successful mobile workstations. And while last year's 8540w was impressive (see *DE*, April 2011), its successor surpasses it in virtually all aspects.

The HP EliteBook 8560w is housed in a gunmetal gray HP DuraCase, a brushed anodized aluminum exterior bonded to a magnesium-alloy chassis. But the case has been redesigned and now features precision aluminum-alloy hinges, cast titanium-alloy display latches, and a radial-spun display cover with a backlit HP logo. The system is essentially the same size as the 8540w, measuring 14.7x 9.9x 1.7 in., but at 7.9 lbs., it's nearly 1 lb. heavier than its predecessor. The large (6.7x 3.2x 1.6-in.), 200-watt AC adapter required by the HP DreamColor display adds nearly 2 lbs. more to the total package.

Raising the lid reveals a 101-key keyboard that includes a separate numeric keypad. All of the keys are full-size, with the exception of the function keys along the top row and the cursor keys just to the left of the numeric keypad. HP notes that the keyboard is spill-resistant, thanks to a thin layer of Mylar film under the keyboard and a drain in the bottom of the notebook, but we decided not to test this feature.

Our evaluation unit came with a backlit keyboard (a \$65 option). There's also an orange point stick nestled above the B-key along with its own complement of three buttons just below the spacebar. A fingerprint reader is below the right corner of the keyboard. Indicator lights for wireless, power, battery and hard drive activity are on the front-left edge of the case.

A small power button is located above the keyboard in the upper left, while four similar buttons in the upper right let you toggle the wireless functions and speakers on and off, access your web browser or start the Windows calculator application. When the system is powered off, you can press the web browser button to start up the HP QuickWeb application without actually booting the operating system. We were surfing the web using QuickWeb in about 15 seconds.

The 8560w also includes a large (4.25x 2-in.) touchpad centered below the keyboard, with its own dedicated buttons. New this year is gesture support. You can use one finger to point and click, two fingers to scroll up/down and left/right, and a two-finger spread or pinch gesture to zoom in or out. A double-tap in the upper-left corner turns the touchpad on and off. Al-

though these gestures are similar to what Apple has offered for a while now on its devices, the HP workstation was much less responsive than what we've come to expect on Apple devices.

### Powerful Graphics

The DreamColor display remains unsurpassed in terms of image quality. HP's DreamColor technology, developed in conjunction with DreamWorks Animation SKG, uses a RGB LED backlight and 10-bit graphics card to produce 30-bit color accuracy. The 15.6-in. diagonal UWVA anti-glare display in our evaluation unit produced gorgeous images at 1920x1080 resolution, with more than 1 billion colors. The DreamColor display is a \$425 option, but also requires the larger 200-watt power supply. HP also offers the 8560w with a 1600x900 display or a 1920x1080 panel without the DreamColor technology.

An optional 720p webcam is centered above the display, flanked by a webcam light on the left and an ambient light sensor to the right. There's also a dual microphone array and wireless antennas along the top edge.

Our EliteBook's display was powered by an NVIDIA Quadro 2000M with 2GB of dedicated DDR3 video memory and 192 compute unified device architecture (CUDA) cores. Other GPU options include the NVIDIA 1000M and a choice of AMD ATI FirePro graphics boards. The FirePro boards incorporate AMD Eyefinity Technology, which sup-

ports up to five independent displays when using the HP Advanced Docking Station. Otherwise, in addition to the system's built-in display, the EliteBook 8560w can power an external monitor at up to 2048x1536 via its VGA port, or at up to 2560x1600 using the built-in DisplayPort. DVI is only available using a docking station.

### A Fast CPU and Lots of Memory

At the heart of our HP EliteBook 8560w was a 2.3GHz Intel Core i7-2820QM processor, based on Intel's Sandy Bridge processor architecture. This CPU has a maximum turbo frequency of 3.4GHz, an 8MB L3 Smart Cache, and integrated Intel HD Graphics 3000, yet has a thermal design power (TDP) rating of just 45 watts. HP has since replaced that CPU with the faster Core i7-2860QM, a 2.5GHz quad-core processor, at the same price. Other CPU choices include second-generation Intel Core i7 quad-core processors at 2 and 2.2GHz, the 2.7GHz dual-core i7-2620M processor, and Core i5 dual-core processors at either 2.5 or 2.6GHz.

The quad-core i7 CPUs support up to 32GB of memory, and our evaluation unit came equipped with 16GB of RAM, installed as four 4GB 1333MHz DDR3 small outline dual in-line memory module (SO-DIMM) modules. Customers who opt for lesser processors should note that the Core i5 processors support a maximum of 16GB, and the dual-core

# CAM FREE.

## HSMXPRESS

The free CAM solution for SolidWorks

*FREE 2D & 2-1/2 Axis CAM for all licensed users of SolidWorks 2010 or newer.*

*Download and activate your copy today to be eligible to win a free 3D Mouse from 3DConnexion.*

[www.hsmxpress.com](http://www.hsmxpress.com)

## Engineering Mobile Workstations Compared

	HP EliteBook 8560w	Eurocom Panther 3.0	Eurocom D900F Panther		HP Elitebook 8540w		Dell Precision M6500		HP EliteBook 8530w		Lenovo ThinkPad W700	
Price as tested	\$4,063	\$8,027	\$7,467		\$3,657		\$4,430		\$2,822		\$3,524	
Date tested	5/1/12	8/20/11	1/14/11		12/13/10		4/23/10		12/18/08		10/22/08	
Operating System	Windows 7	Windows 7	Windows XP	Windows 7	Windows XP	Windows 7	Windows XP	Windows 7	Windows XP	Windows Vista	Windows XP	
SPECviewperf, higher												
3dsmax-04	71.23	74.50	75.97	<b>79.11</b>	43.31	56.10	49.56	52.35	33.38	<b>32.21</b>	34.23	
catia-02	80.96	<b>95.31</b>	85.23	82.83	53.08	59.43	64.31	61.72	42.41	<b>39.75</b>	45.01	
ensight-03	63.97	<b>101.50</b>	66.02	60.10	41.52	41.05	58.28	47.75	37.42	<b>34.24</b>	43.31	
maya-02	233.93	<b>407.90</b>	290.35	236.55	204.12	159.95	283.64	212.05	149.21	<b>108.33</b>	165.87	
proe-04	74.69	<b>95.73</b>	84.84	77.09	57.51	57.06	70.91	61.96	42.92	<b>39.33</b>	45.67	
SW-01	138.60	<b>198.76</b>	178.01	163.34	109.6	102.93	152.41	132.68	67.98	<b>59.75</b>	90.01	
tcvis-01	47.24	<b>91.18</b>	47.36	42.28	29.84	27.15	47.71	39.44	21.42	<b>19.19</b>	28.34	
ugnx-01	37.16	<b>86.62</b>	43.18	39.34	27.75	28.10	39.60	33.64	19.85	<b>18.11</b>	30.91	
SPECcapc SolidWorks, lower												
Score	seconds	131.17 <sup>2</sup>	n/a	<b>135.63</b>	n/a	<b>198.16</b>	n/a	175.72	n/a	182.63	n/a	187.27
Graphics	seconds	44.76 <sup>2</sup>	n/a	<b>51.94</b>	n/a	<b>67.55</b>	n/a	58.99	n/a	62.16	n/a	60.87
CPU	seconds	39.37 <sup>2</sup>	n/a	<b>29.22</b>	n/a	<b>45.42</b>	n/a	37.62	n/a	39.99	n/a	44.40
I/O	seconds	47.04 <sup>2</sup>	n/a	<b>58.76</b>	n/a	89.8	n/a	83.48	n/a	83.69	n/a	<b>96.66</b>
SPECcapc SolidWorks, higher												
Score	ratio	3.67 <sup>2</sup>	n/a	<b>5.66</b>	n/a	<b>4.08</b>	n/a	4.75	n/a	4.75	n/a	4.47
Graphics	ratio	4.37 <sup>2</sup>	n/a	<b>3.61</b>	n/a	<b>2.69</b>	n/a	3.09	n/a	3.26	n/a	3.15
CPU	ratio	3.11 <sup>2</sup>	n/a	<b>10.19</b>	n/a	<b>7.1</b>	n/a	8.58	n/a	8.07	n/a	7.27
I/O	ratio	3.01 <sup>2</sup>	n/a	<b>5.14</b>	n/a	<b>3.53</b>	n/a	3.79	n/a	3.78	n/a	3.65
Autodesk Render Test, lower												
Time	seconds	89.83	53.3 <sup>1</sup>	57.16	<b>51.83</b>	188.5	146.81	168.33	180.16	318.4	<b>324.60</b>	162.00
Battery Test, higher												
Time	hours: min	2:37	<b>0:38</b>	n/a	1:17	1:28	1:21	2:06	2:05	<b>3:21</b>	3:00	2:15

Numbers in blue indicate best recorded results. Numbers in red indicate worst recorded results. 1=Results based on individual renderings. 2=Results based on SPECcapcSW2007 benchmark.

### Precision CNC Machining

At more than 1100lbs this mill goes far beyond any desktop modeling mill, bringing serious capability to research and engineering workshops. A rigid frame and 1100 watt spindle allows prototypes to be cut from the materials you use: Plastic, aluminum, steel, even titanium - whatever you need to get the job done.

**\$10,485**

(plus shipping)  
includes 3 axis mill, deluxe stand, machine arm, and more

#### PCNC 1100 Series 3 features:

- Vector technology drive, computer controlled, 5100 RPM spindle
- Precision ground P4 grade ballscrews
- 34" x 9.5" table
- Provides both manual & automatic operations
- Integrated options for digitizing, 4th axis, CNC lathe, and more



Shown here with optional stand, tool tray, machine arms, and accessories.



Product information and online ordering at [www.tormach.com](http://www.tormach.com)



Trusted and Refined Productivity Tools for Complex 3D File Conversion, Optimization, Viewing, Rendering & More

See the Okino WEB site for extensive product info



Example "CAD to D.C.C." conversion. SolidWorks to Maya. Converted and optimized by PolyTrans-for-Maya. © 2012, Designed and Manufactured by Daka Designs Ltd. Hong Kong.

Okino's PolyTrans® Pro Translation System is the most extensive and accurate 3D CAD, NURBS, DCC/Animation, and scene translation system with core functionality that includes scene optimization, data reduction, material editing, rendering, viewing & publishing.

#### Okino Computer Graphics, Inc.

Tel: (Toll Free) 1-888-3D-OKINO, (1-905) 672-9328  
WEB: <http://www.okino.com>, Email: [sales@okino.com](mailto:sales@okino.com)

All products mentioned are registered trade names of their respective holders.

i7 CPU supports just 8GB of system memory. The dual-core versions of the 8560w come with just two DIMM sockets.

Our evaluation unit also came with a 500GB, 7,200 rpm Smart SATA II drive. HP offers other drives ranging from 320 to 750GB, as well as solid-state drives of 128 or 256GB capacity. HP also included a Blu-ray Disc DVD+/-RW SuperMulti dual-layer drive. Other upgrade bay options include a DVD+/-RW drive, a DVD-ROM drive, or a second 500GB 7,200 rpm SATA hard drive.

Our evaluation unit came with an 8-cell, 83 watt-hour lithium-ion battery for which HP claims up to 6 hours and 30 minutes of life. But in our battery run-down test, which keeps the DVD drive spinning continuously, our system shut down after 2 hours and 37 minutes in spite of turning off all wireless features and cutting the display's backlighting to its lowest setting. HP offers a long-life 75WHr battery, as well as an optional secondary extended life battery that the company claims can power the system for up to nearly 15 hours.

### Very Good Performance

On the SPECviewperf test, which looks solely at graphics performance, the HP EliteBook 8560 definitely surpassed the 8540w—as well as any other system we've tested to date, with the exception of the mobile workstations from Eurocom, which used some distinctly non-mobile components.

For our SolidWorks tests, we switched to the newer SPEC-Capc SW 2007 benchmark, which runs properly under Windows 7 64-bit. Because it's a different version of the benchmark than we've used in the past, however, the numbers are not directly comparable. We will eventually shift all results to the newer benchmark.

When we ran our AutoCAD rendering test, the HP EliteBook clearly showed what it's capable of, completing the finished scene in less than 90 seconds. Again, only the Xeon-equipped Eurocom mobile workstations were faster.

HP EliteBook 8560w prices start at \$1,334 for dual-core systems or \$1,549 for a quad-core. As configured, our evaluation unit priced out at \$4,063. Regardless of how you configure your EliteBook 8560w, though, the end result will be a high-quality mobile workstation—fully capable of bringing your professional applications with you wherever you go. **DE**

---

**David Cohn** is the technical publishing manager at 4D Technologies. He also does consulting and technical writing from his home in Bellingham, WA, and has been benchmarking PCs since 1984. He's a contributing editor to Desktop Engineering and the author of more than a dozen books. You can contact him via email at [david@dscobn.com](mailto:david@dscobn.com) or visit his website at [DSCobn.com](http://DSCobn.com).

Engineering Success...

# STAR-CCM+ v7

Simulation Software for a New Frontier in Engineering Innovation.

Follow us online.  
For more information: [info@cd-adapco.com](mailto:info@cd-adapco.com)  
[www.cd-adapco.com/aerospace](http://www.cd-adapco.com/aerospace)

**CD-adapco**  
[www.cd-adapco.com](http://www.cd-adapco.com)

# When Two Plus Two Makes More Than Four

The value of coordinated simulations—kind of like multiphysics analysis on steroids.

BY PAMELA J. WATERMAN

Just when you thought you had multiphysics (MP) analysis figured out, you got put on a project that involves collaboration across multiple disciplines—mechanical, electrical and maybe even optical. Accessing the right simulation software, tracking all possible input data, combining analysis results and connecting with databases across teams and vendors could really stress you out.

The good news is that traditional simulation packages are being extended—not only to help different disciplines work with the same models, but also to share the results across higher level collaborations.

## Small Scale, Large Scale

Ask 10 different people the difference between MP analysis and multidisciplinary analysis, and you'll get 10 slightly different answers.



“Working with the multiphysics aspects of a single electronic chip, for example, though complicated, is not a systems or multidisciplinary point of view,” notes Barry Christensen, ANSYS director of product marketing.

However, making sure that structural, hydraulic, electromagnetic interference (EMI) and airflow design requirements are met for an aircraft design definitely qualifies as the latter.

Managing successful multidisciplinary efforts requires a number of processes to fall into place, all among groups with different goals:


- accessibility to the appropriate simulation software;
- ability to share information and visualizations; and
- support for moving and tracking large amounts of data.

Autodesk's Bob Williams, product marketing manager for simulation, has seen changes in all three areas, in ways that even small businesses can use. One of the biggest advances is getting away from each team having to purchase its



Determining the effect of a room fire on ceiling beams requires the consideration of the entire system of air and heat flow, thermal radiation, heat conduction within the structures, structural deformation of the support beams, and elastoplastic material behavior. Using fluid-structure interactions modeled in ANSYS software, researchers can predict beam displacement over time. (Images courtesy ANSYS.)

# FREE DATA ACQUISITION HANDBOOK



Altair software lets users involved in multiple disciplines organize CAE data, access shared libraries and collaborate. (Image courtesy Altair Engineering.)

own desktop licenses, and worrying about which revision is in use.

“We have been moving toward a term-based license, as well as access to software via the cloud, turning it into an access model instead of an ownership model,” says Williams. “With just a sign-in account, you can make sure that everyone who needs access to a simulation tool has it—whether it’s a mechanical engineer, an electrical engineer, an industrial engineer or even a designer.”

Once that starts happening, Williams points out, multidisciplinary work becomes a sharing issue: “When you move from text to images to photorealistic rendering, everything that makes it easier to communicate is helpful, like report generation in simulation tools. But the significant change is using the cloud to enable even more real-time collaboration.”

Williams notes that his company’s Autodesk 360 product allows users across the world to not only share mechanical data via the cloud, but includes mobile applications so that wherever users are, they can look at simulation results, do mark-up, etc.

Regarding data management, Autodesk Vault is the company’s solution for teams to archive and update their findings, while Autodesk PLM 360 offers ways to synchronize data and add additional layers such as workflows and processes.


Altair software developers, which pioneered an on-demand licensing model, have also been putting a great deal of

thought into just which kinds of multidisciplinary data need sharing, and what people do with it.

Ira Goldstein, Altair director of HyperWorks collaboration tools, notes, for example, that users need to explore and access existing simulation information (where is the solver deck I created last year?), organize that content (how can I categorize information across teams in a consistent and repeatable manner?), and connect across broader function-groups (what other data sources come into play?).


Although product data management (PDM) software might come to mind as a solution, it was typically created simply to manage product data such as a bill of material (BOM). Goldstein voices what many engineers feel: “When we talk about data management and PDM, users typically view it as making their job harder. A top-down PDM approach presents challenges in the CAE community: It requires infrastructure, hardware and IT involvement, and is typically a long-term project with overhead. If it comes through IT, it’s suspect.”

However, with HyperWorks 11.0 embedded collaborative tools, including a new browser, the user doesn’t have to add hardware or work through another tool. Altair’s bottom-up approach allows immediate use by the desktop user, analyst, supervisor and small team. Then, as needed, HyperWorks Enterprise tools can be added for use by managers, di-



Learn about  
DAQ,  
A/D Converters,  
Signal Conditioning,  
Measurement  
Techniques,  
and more...

Download  
Your Copy Today!



[mccdaq.com](http://mccdaq.com)

Contact us  
**1.800.234.4232**

©2012 Measurement Computing Corporation  
10 Commerce Way, Norton, MA 02766  
[info@mccdaq.com](mailto:info@mccdaq.com)

rectors and chief engineers, viewing different defined interfaces.

Product development that addresses the standard triple mantra of “faster, better, cheaper” is truly today’s norm. At ANSYS, developers believe the only way to keep pace is for engineering teams in every industry to shift from a component, or subsystem view to a higher-level systems perspective—applying multiple physics, multiple scales and a collaborative engineering approach. Christensen says teams of electrical, structural and fluids engineers must overcome their distinct functional silos to work together.

ANSYS has supported a system-level point of view for at least 10 years, starting with its Workbench Platform. Cross-functional teams can use ANSYS Workbench solvers for a variety of MP analyses, on both component- and system-level designs. And the ANSYS Engineering Knowledge Manager (EKM) tool fills the need for data back-ups, archiving, traceability and audit trails, while permitting real-time data sharing across time zones.

ANSYS recently acquired Esterel Technologies, a provider of embedded software simulation solutions for applications such as aircraft-safety systems and

nuclear power-plant monitoring tools. Esterel solutions will complement ANSYS’ systems point of view by going beyond the physics to include control system software simulations. Work is under way on software links between the two.

## Speeding up Development Cycles

Mentor Graphics has long been familiar with the need to look at system-level behavior. With its roots in electronic chip, package and board design, the company expanded in 2008 to include 3D heat transfer and fluid-flow capabilities based on FloEFD computational fluid dynamics (CFD) software, offering engineering fluid dynamic solutions in more than 30 industries. This electro/mechanical/thermal analysis foundation has served it well, as the company continues to expand its interfaces to dozens of other design and analysis packages.

As a result, John Parry, electronics industry manager, Mentor Graphics mechanical analysis division, has an interesting perspective on working with multidisciplinary design projects.

“Vendors have acquired different analysis technologies such as CFD, finite element analysis (FEA), computational

electromagnetics (CEM)—and many are trying to integrate them into a single analysis platform, based on a common data model, instead of supporting lots of different tools,” he explains. “This is great from the vendors’ perspective, because they can consolidate their development efforts.”

However, the resulting platform may be cumbersome, so design productivity suffers. Mentor Graphics sees greater value in openness to working with other tools—even in-house codes—that are used adjacent to its own tools.

In addition, the company prefers to develop tools that work at different levels of abstraction. Classic MP modeling in electronic design involves determining, say, current in a printed circuit board (PCB) trace, then modeling the heat flow, then using that heat as the source for mechanical stress. The problem is that extending first-principles FEA-type modeling, with everything in exact geometric detail, simply isn’t feasible for today’s billion-transistor chips. Rather, analysis must work based on behavioral models that capture the way the chip behaves in some macroscopic way.

Mentor Graphics has found that same principle also applies to electronics cooling, with customers showing great interest in using behavioral models of fans and heat sinks. Connecting their tools together this way is very different from a classical MP approach to 3D fluid-flow. Parry says it’s much faster to do the analysis based on a behavioral model than it is to try to do detailed analysis modeling, making this approach more efficient.

Two additional Mentor Graphics’ products support collaboration and higher-level system requirements. SystemVision is a virtual lab for design and analysis of analog, mixed signal, digital and electro-mechanical designs, while SystemVision conneXion is a virtual execution environment that dynamically connects otherwise isolated, domain-specific modeling and software tools (LabVIEW and Simulink, for example) in a networked architecture.

Dassault Systèmes, developer of CATIA, SolidWorks and Simulia Abaqus

## MP Analysis vs. Multidisciplinary Analysis

**M**ultiphysics (MP) analysis produces very detailed simulations involving forces, pressures, stresses, temperature distributions, flow rates, etc., in small gradations across often-complex geometries. Results from one simulation serve as input to another, either loosely or closely coupled.

Multidisciplinary analysis works at a higher level across an entire structure, assembly or thousand-part system, developed across multiple teams with very different specialties and involving interactions (possibly closed-loop) between, say, mechanical parts and their electronic control systems. ANSYS’ Barry Christensen highlights the differences by comparing the complexity of a traditional automotive powertrain system with that of a hybrid gas-electric design.

“We have a tremendous amount of experience with developing powertrains for internal combustion,” he points out, “but electric-vehicle people are dealing with a revolution. They must rely more on multidisciplinary simulation.”

Multidisciplinary simulations also encompass many more types of files than the data handled with standard product data management (PDM) packages: inputs, file decks, outputs and simulation results (which can be very large files). Yet while some complete simulations may need to be stored, a lot of them involve transient data and intermediate results—and perhaps just baseline information is needed. Efficient but flexible links, storage options and sharing protocols are key to effective multidisciplinary operations. —PJW

# how to: PRINT IN 3D

The only ship today  
provider of 3D prints!

Visit  
**1. zoomrp.com**

We're your one-stop-shop for 3D printing. We offer PolyJet, SLA, SLS and ABS.

*securely!*  
**2. upload file**

You can upload as many files as you're ready to print. Review quantities and prices and select your shipping option for all your parts at once.

*Place Order*  
**3. push button**


It's really that easy. Our returning customers come back for simple convenience. We take the overhead, the guesswork, and the wait out of production every time.



**ZoomRP**  
.com

Esaote Transducer Linear array layout

Silicon rubber lens NOT shown



Complex geometry and the use of specialized materials make the design and optimization of an ultrasound transducer a challenge. COMSOL Multiphysics software is capable of handling the elasticity, piezoelectric and dielectric material properties. (Image courtesy COMSOL.)

and Isight software tools, also sees the value of multiple hierarchical abstractions for differing levels of component fidelity. Its broad line of design, analysis and optimization products supports both software and methodologies that connect simulation model definitions to multiple simulation representations.

For example, the design-compliance capability in Dassault Systèmes CATIA V6 allows product development teams to embed engineering technology and methods to achieve specified reliability, safety, verification and validation within a cross-disciplinary, collaborative environment. This enables not only designers and simulation specialists to work together to evaluate design performance, but it also allows physical test data to be integrated within the design analysis process.

V6 enables efficient reuse of simulation methods and data across multiple disciplines. As Simulia CTO David Fox explains, V6 allows multiple meshes and properties to be stored under a single part (or assembly of parts). The part (or assembly) can contain a mesh that is to be used for the mechanical context and another mesh that is required for the electrical domain. So engineers working

on two different problems can use the same CAD model, yet they can access and apply different meshes and simulation properties considering the engineering discipline in which they're working.

### Real-world Demands

Medical equipment designed by a COMSOL Multiphysics customer demonstrates the need for collaboration even within small, targeted businesses. Esaote of Florence, Italy, manufactures diagnostic ultrasonic imaging systems. Complex geometry and the use of very specialized materials, such as layers of polyurethane film, polyurethane glass-bubble-charged foam and piezoelectric elements, make modeling the ultrasonic transducers a challenging multidisciplinary task.

Esaote engineers used COMSOL software to model both the general material behavior and the effects of geometry on probe performance such as directivity and beam-steering. The open structure of the software allowed the designers to also integrate the model with an equivalent circuit model. Used together with electric transmission-line matching theory, the multidisciplinary study yielded thickness values for optimized acoustic



An integrated design approach from Mentor Graphics bridges the gap between conducting detailed finite element analyses and engineering the systems that use those components. (Image courtesy Mentor Graphics.)

impedances supporting improved broadband operation.

Kirk Fraser is a design engineer at Roche Ltd. Consulting Group, a Canadian engineering-construction firm. The company's multidisciplinary teams work on projects ranging from mining and mineral processing to forestry and urban planning, often combining the skills of mechanical, structural, civil and geotechnical specialists. Traditionally, the different disciplines have used quite different software packages (STAAD for structural, Femap for mechanical, etc.) with little crossover between analyses.

However, Fraser's experience working with LS-DYNA products from Livermore Science Technology Corp. (LSTC) has convinced him that using various capabilities within a single

package would produce the best level of validity. CFD analyses, loads and heat transfer could all be done with LS-DYNA, requiring less transfer of information and improving accuracy.

With its upcoming LS-DYNA\_R7, LSTC continues its efforts to push costs down and MP capabilities up, adding electromagnetism and compressible/incompressible fluid analyses. The company's "one-code strategy" tackles multidisciplinary analyses: "to combine the multiphysics capabilities into one scalable code for solving highly non-linear transient problems to enable the solution of coupled multiphysics and multi-stage problems."

## A Shift in Mindset

Other companies whose products support multidisciplinary analysis include Siemens, with its NX TeamCenter collaboration tools, and MSC Software, whose MSC Nastran and Adams solutions work well, for example, with Comet, an integrated modeling and simulation process automation tool from Comet Solutions.

Autodesk's Williams sums up the benefits of multidisciplinary analysis by observing, "I think it's very promising that we are actually having a conversation that almost all the time in the past would have been centered around design and CAD. The fact that increased collaboration and data management are now important enough and prevalent enough for simulation, points to the fact that simulation is used a lot more often than it was in the past." **DE**

*Contributing Editor Pamela Waterman, DE's simulation expert, is an electrical engineer and freelance technical writer based in Arizona. You can send her e-mail to [de-editors@deskeng.com](mailto:de-editors@deskeng.com).*

**EnSuite**  
A CCE Product

**CAD Independent**

**Leverage CAD Data Across the Enterprise**

**Productivity Apps**

- Quality Control: Tolerance Check
- Sales: Quote Automation
- Purchasing: Generate Bid Packages
- Manufacturing: Generate Blanks from Parts
- Engineering: Translate, View, Markup, Measure
- Marketing: Publish Marketing Documents

Download Free Demo  
[www.cadcam-e.com/ensuite2](http://www.cadcam-e.com/ensuite2)

INFO → Altair: [Altair.com](http://Altair.com)

→ ANSYS: [ANSYS.com](http://ANSYS.com)

→ Autodesk: [Autodesk.com](http://Autodesk.com)

→ Bentley: [Bentley.com](http://Bentley.com)

→ Comet Solutions: [CometSolutions.com](http://CometSolutions.com)

→ COMSOL Multiphysics: [COMSOL.com](http://COMSOL.com)

→ Dassault Systèmes: [3DS.com](http://3DS.com)

→ Esaote: [Esaote.com](http://Esaote.com)

→ Esterel Technologies: [Esterel-Technologies.com](http://Esterel-Technologies.com)

→ Livermore Science Technology Corp.: [LSTC.com](http://LSTC.com)

→ Mathworks: [Mathworks.com](http://Mathworks.com)

→ Mentor Graphics: [Mentor.com](http://Mentor.com)

→ MSC Software: [MSCsoftware.com](http://MSCsoftware.com)

→ National Instruments: [NI.com](http://NI.com)

→ Roche Ltd. Consulting Group: [Roche.ca](http://Roche.ca)

→ Siemens: [Siemens.com/plm](http://Siemens.com/plm)

→ Simulia: [Simulia.com](http://Simulia.com)

For more information on this topic, visit [deskeng.com](http://deskeng.com).

# Better Answers, Faster

A research team uses Tecplot Chorus for hypersonic vehicle design.

BY MARK CLARKSON

**A**ccurate, low-fidelity simulations are essential to the design of hypersonic vehicles, says Dr. Ryan Starkey, assistant professor and McAnally Faculty Fellow in aerospace engineering sciences at the University of Colorado, Boulder. High-fidelity simulations are just too computationally expensive.

The question is, says Starkey, “Can we do a better job of predictive design using a low-fidelity system? Can we pay a low-fidelity cost for a high-fidelity answer?”

## Time and Expense

Above Mach 5, physical phenomena such as fluid flow or heat transfer act in non-linear ways. Worse, they are highly interdependent: Fluid flow affects heat transfer; heat transfer affects material properties, etc. Because you can no longer solve for these domains individually, every variable you add increases the number of solutions exponentially—and the analyses to produce those solutions can take a lot of time.

While a low-fidelity analysis of a complex flow field might take just half a second on his computer, Starkey says, “If I do a high-fidelity model of that same geometry, it might take an expert to build a computational fluid mesh for it. With the time required to do the actual simulation, the whole process can take a month—and maybe more.”

That becomes untenable almost immediately. If you have, say, 100 interdependent variables to analyze over a range of conditions, it’s clearly an impossible situation. The goal, therefore, was to get as close as possible to the one-month answer for the half-second price. One of Starkey’s students, Kevin Basore, has been doing work on quantifying uncertainty in hypersonic vehicle design. The idea is to use the high-fidelity results to illuminate the shortcomings of low-fidelity models. What are those models getting wrong? What are they overlooking? How can they be tweaked and augmented to produce results closer to those of the high-fidelity analyses in much less time?

## Quantifying Uncertainty

Starkey notes that Basore’s work “looked at whether we can quantify [and reduce] the uncertainty in a low-fidelity model.

What uncertainty are we talking about, exactly? Practically everything. “There might be uncertainty in the atmospheric model-



CU-Boulder Assistant Professor Ryan Starkey, left, with some members of his team, looks over engine model nozzles for a first-of-its-kind supersonic unmanned aircraft vehicle. (Photo by Glenn Asakawa, University of Colorado.)

ing,” says Starkey. “Maybe it’s not exactly what we’re going to see on the day of flight. There is uncertainty due to the physics of what we’re predicting. We’re trying to use reduced-order models, and we know that some of the physics are not modeled correctly. What’s the effect of that?”

There’s an inherent uncertainty in the equations the team uses to model chemical reactions, Starkey points out.

“We use reduced-order chemical reaction mechanisms; we might have 20 chemical reactions that mimic 200. That’s another source of uncertainty and error,” he adds. “What is the sensitivity of our final design to all of that uncertainty? Understanding that uncertainty helps us to do a better job of design.”

## Surrogate Models

Basore’s low-fidelity models were primarily surrogate, or “black box,” models. The idea behind a surrogate model is to reproduce the results of a high-fidelity simulation—or the results of real-world testing—without the computational overhead.

Say you want to understand the motion of a simple pendulum. You could build a pendulum and measure its motion, or construct a virtual pendulum and run it through a dynamics simulation. But you can get a pretty good approximation of a pendulum’s motion using a (comparatively) simple differential equation. That equation is your surrogate model. It doesn’t reproduce all the work



**GoJett Engineering Test Unit in Fabrication, held by Brandon Bosomworth, master's degree graduate. (Photo by Edgar Flores, University of Colorado).**

going on inside a high-fidelity dynamics simulation, but it gives approximately the same result.

That differential equation might not take into account air resistance, friction, wobbling in a third dimension and other niceties. Those are the kinds of uncertainties for which Basore would be seeking to quantify, reduce and compensate.

### Diamond Airfoil Test Case

The first part of the project was a calibration study, a trial run for the methodology and the software. Because pendulums don't figure prominently in hypersonic aircraft design, Basore chose a diamond, or double wedge, airfoil.

The lab ran both inviscid and viscous computational fluid dynamics (CFD) analyses for the airfoil. Inviscid analysis assumes an ideal fluid with no viscosity. It is, of course, not as accurate as viscous analysis, but it is computationally much simpler to solve. There is also a known, analytical inviscid solution for the diamond airfoil, so results could be checked against published results.

With both the inviscid and viscous analyses in hand, Basore had low- and high-fidelity predictions of the same flow field.

"We were looking to come up with a way to quantify the uncertainties," says Starkey, "so we can take what we know to be uncertain about our system across a wide range of performance characteristics—Mach number, angle of attack, altitude, and so forth—and correlate that back to our low-fidelity predictive solution."

Once the low-fidelity model was producing accurate results, Basore was ready to apply the same techniques to the more technically challenging problem of scramjet engine combustion.

### The Scramjet Project

Scramjet combustion adds fast, complex chemical reactions to the equation. "The flow is passing through the engine in the millisecond time frame," says Starkey. "Our understanding of the chem-

istry—of how we can inject, mix and burn fuel in that couple of milliseconds—is essential to the scramjet functioning.

"If we back off and do low-fidelity chemistry modeling, how does that do relative to high-fidelity modeling? Can we understand what uncertainties are in that low-fidelity system so we can correct them?" he asks. "If we have a conservative [high-fidelity] method that always over-predicts something, can we have some basic understanding of that over-prediction and its magnitude? If so, then can we apply that same correction to low-fidelity code?"

### Data Mining

All of this analysis produced lots of data. To organize and understand it, the team used Tecplot Chorus.

"Chorus became quite important in helping to sift through a lot of data very quickly," says Starkey, adding that it is "a phenomenal resource for data mining. It made data mining—comparing the data, seeing what's interesting in the data—very efficient."

Chorus also allowed them to discover interesting results that they might not have predicted, or even thought to look for. Before, Starkey and Basore would have hunches of a couple of things they thought were going to be important to examine more closely, based on their prior experience.

"I'd write some scripts to pore through all my data and create images, and then try to figure out a way to visualize them all," Starkey says. "It was a very laborious process."

Because Chorus helps visualize the data, it helped Starkey and Basore understand the differences among all the cases—parsing the data down, both visually and numerically, to search through it.

"If I throw up all my simulations and I see one doesn't look right, I can do a very simple visual comparison and see differences very quickly," Starkey explains.

Chorus can display existing images created during the simulation, or create new images from either volume or surface data.

"I can start to dig through my bulk data set, very efficiently," says Starkey. "I can say, 'I want to see the differences. Using this one as the baseline, how are the rest of these different, numerically?' Chorus will change the pictures to show me those differences. I can start to home in on the underlying physics that are causing that difference. Relative to the old way of doing things, Chorus is a phenomenal time-saver."

And the end result of all this analysis? The project was a success, says Starkey: "For the cases that we ran, it worked out very well." **DE**

---


*Contributing Editor Mark Clarkson is DE's expert in visualization, computer animation, and graphics. His newest book is Photoshop Elements by Example. Visit him on the web at [MarkClarkson.com](http://MarkClarkson.com) or send e-mail about this article to [de-editors@deskeng.com](mailto:de-editors@deskeng.com).*

**INFO** → Tecplot Inc.: [Tecplot.com](http://Tecplot.com)

→ University of Colorado, Boulder: [Colorado.edu](http://Colorado.edu)

For more information on this topic, visit [deskeng.com](http://deskeng.com).

# Aluminum Casting Simulations



Closed-loop, automatic optimization makes fast work of enhancing FLOW-3D CFD analyses.

**BY ANTONI DRYŚ AND STEFANO MASCETTI**

**W**hen it comes to virtual modeling, most modern simulation tools already operate at near state-of-the-art. What often limits their use is the uncertainty of a specific, empirical tuning parameter that requires a user to make a best guess. This, in turn, introduces a new source of error—setting up the question, how can you know your choices are well suited to your application?

Although getting effective results from computer simulations always depends on the quality of the inputs, process simulation applied to the world of metal casting presents particular challenges. Nemak Poland in Bielsko-Biala, Poland, faces these challenges daily as it manufactures aluminum-casting products such as cylinder heads and engine blocks for the automotive industry. The company uses FLOW-3D computational fluid dynamics (CFD) simulation software from Flow Science to model its high-pressure die-casting processes, and is continually working to fine-tune the real-world values it uses for simulation input parameters. Capturing the variations across a complete thermal mold (die) cycle significantly increases the simulation's accuracy, which in turn yields more realistic temperature and heat transfer properties to guide the choice of equipment settings throughout filling and solidification. (See Figure 1.)

## Fine-tuning Process Settings

The different phases of a casting's thermal cycle involve complex physics, because the speed of the fluid is always

changing as it proceeds through each section of the die. Conduction and convection are both present (at comparable magnitudes) in the molten metal, complicating the determination of liquid-to-metal heat transfer coefficients (HTCs). Moreover, it is no simple matter to subdivide the production cycle into well-defined steps to come up with average properties for these effects. Nemak process engineers turned to Sigma Technology to help them zero in on the best operating parameters for setting up their equipment based on the 3D simulations.

FLOW-3D's CFD software can model the free-surface flows encountered while filling high-pressure dies, generating results across the entire casting cycle. By tapping into Sigma Technology's indirect optimization on the basis of self-organization (IOSO) optimization software, now directly integrated with FLOW-3D, Nemak could evaluate possible HTC combinations and feed them back for additional CFD calculations. This closed-loop strategy allowed the engineers to automatically determine new HTCs and manage repeated simulations until the values of theoretical and measured temperatures closely matched. In addition, plans for future part runs could use those same, more accurate HTCs for any successive simulations and new operating profiles (see Figure 2).


## Characterizing the Die Process

HTCs are notoriously difficult to determine with high precision. Typically,

**FIGURE 1:** Example of FLOW-3D thermal die cycling simulation, taking into account cooling channel structure.



**FIGURE 2:** HTC optimization loop, performed with FLOW-3D simulation software and IOSO optimization software.



**FIGURE 3:** FLOW-3D simulation software run showing high-pressure die-casting temperature vs. time. The regime temperature pattern per cast becomes stable after the initial casting cycles.

engineers use coefficient values taken from standard literature references, based on general material properties such as fluid velocities, viscosity, the condition of the heating surfaces and the magnitude of the thermal differential. Nematik started the improvement project by focusing on the thermal behavior of an actual, aluminum alloy (A380) high-pressure die-cast engine block (approximately 200x170x300mm) throughout its production cycle in a die made of tool steel (1.2343).


One full thermal cycle includes all the steps for producing one cast part. This cycle can be divided into homogeneous sub-steps that are performed sequentially; the more sub-steps identified, the more accurate the corresponding simulation results. For this experiment, the thermal cycle was divided into five different segments, each

mirrored in the FLOW-3D software model. These sub-steps comprised:


1. metal filling of the die via the shot hole;
2. part solidification and removal;
3. lubrication of the die with a water/oil mixture;
4. blowing out the die cavity to remove excess lubricant moisture; and
5. closing the sections of the die for the next cast.

Starting with the die at room temperature, three test parts were cast and discarded—for the sole purpose of allowing the molten metal to bring the tool steel die to its nominal, near-steady operating temperature, called the regime temperature. From then on, because each complete part-production cycle only took 95 seconds, the die never had the chance to cool back to room temperature (see Figure 3).

To capture actual temperature readings, Nematik's quality-control thermocameras were positioned to take thermal images of the die at different times and different locations. Images were observed over the course of a month, and average values were used for comparison to the simulated values at the end of each processing step.



**FIGURE 4:** Comparison between initial and final FLOW-3D die-casting simulation solutions and thermocamera values, after optimization of HTCs with IOSO software from Sigma Technology.



**FIGURE 5:** IOSO optimization run minimizing an objective function comparing casting temperature values.

### Simulation with a Power Boost

A CAD model of the sample part was loaded into FLOW-3D. Because cooling channels play an active role in the die-casting process, FLOW-3D's ability to model both the part and the function of the channel structure helped produce results with high fidelity to the real-world Nematik system. For the actual analysis, each of the five sub-steps was loaded with the inputs of the average temperature of the surrounding liquid, the duration in seconds and an initially chosen HTC.

A single FLOW-3D simulation consists of running several cycles of the die through all the sub-steps until the calculations converge to identify the regime (base) temperature. The software automatically brings the die in contact with the different fluid medias (molten metal, lubricant, air, etc.) for the prescribed du-

ration, simulating the thermal exchange. Those values are then compared to those recorded through the thermocamera. No fluid dynamics simulation is involved at this stage, only a simple thermal simulation, which is much faster.

Use of standard heat-transfer values in the CFD simulation initially produced calculated temperature values that differed by up to 50 Celsius degrees from the measured thermocamera values. In addition, the simulated distribution pattern across the die did not correlate well. Clearly, the imperfect input data demanded another level of effort to generate more accurate results. The team brought in the IOSO tool to rapidly refine the simulations and zero in on optimized HTCs.

Optimization of complex physical processes, such as those found in CFD analyses, is historically a non-trivial problem. IOSO software solves it by integrating mathematical models, engineering prototypes and exploration methods inside a unified optimization environment based on direct stochastic formulation. Taking a statistical approach to evaluating response surfaces at each iteration, the IOSO process is particularly fast because it approximates the functions of many variables.

Integrated with the FLOW-3D user interface, IOSO directs multiple simulation runs. It needs only to specify the variables to change, the output to analyze and the mathematical goal(s), called the objective function(s). Nematik set up five HTC variables (one for each step of the cycle), each with an upper and lower constraint, plus a single objective function. IOSO called FLOW-3D automatically, analyzing the results, proposing new values for the HTCs and rerunning the casting simulation again until reaching satisfactory results (see Figure 4).

### A Simulation Team Effort

As usually happens with optimization runs, strong improvements were recorded immediately at the beginning of the task. In this case, a 50% reduction of the objective function was reached after

only 27 calls. As convergence—a global minimum of the function—is approached, the run-to-run improvement tends to be more moderate. Upon reaching a user-defined accuracy, the software was stopped and the solution analyzed as a candidate for the input producing the best simulation. In this case, although 118 runs were conducted, run No. 49 was accepted as the last run to produce an improvement (see Figure 5).

Compared to the original 50° discrepancy, the final FLOW-3D casting simulation based on optimized HTC values exhibited a better match to real-world temperatures. Differences were typically only 2 to 4°C, with a maximum deviation of 15°C at a single probe-point; overall temperature distribution was also greatly improved. Moreover, the optimized HTCs were within a reasonable range for this particular material and process, adding to their usefulness. These values could now be used as a good starting point for other accurate filling and solidification simulations for 3D models of other parts to be cast using the same machine and alloy.

A subsequent, more critical analysis showed that for some optimal solutions, the newly calculated coefficients lie exactly on the borders of the fixed constraints. This situation may imply that some of the chosen constraints were too limiting, and that even further improvements in the optimal HTC solution set may be identified if the constraints are set more loosely.

### Simulation: A Valuable Step

FLOW-3D performs simulations on real 3D geometry, and takes into account possible heat transfer mechanisms—conduction, convection and, if desired, radiation. Yet, because it employs efficient algorithms to mesh and solve complex fluid simulations, each IOSO-directed, autonomous FLOW-3D iteration took less than 30 minutes on a typical desktop computer. Hence, this optimization job took 12 hours to reach near-final (convergence) values without the need for high-performance computing (HPC) machines.

Taken together with the potential improvement possible with relaxed HTC value constraints and further developments in the objective function, Nemak believes even stronger correlations between casting process simulations and real-world performance can be made. **DE**

*Antoni Drys is a virtual simulation expert in the Product Development Centre of Nemak Poland. Stefano Mascetti is with XC Engineering Srl. Send e-mail about this article to DE-Editors@deskeng.com.*

INFO → Flow Science Inc.: [FLOW3D.com](http://FLOW3D.com)

→ Nemak Poland: [Nemak.com/Poland.html](http://Nemak.com/Poland.html)


→ Sigma Technology: [IOSotech.com](http://IOSotech.com)

→ XC Engineering Srl: [XCeng.com](http://XCeng.com)

# High Speed Optimization

All-in-one multidisciplinary design process with modeFRONTIER: optimizing a F1 rear wing.

**N**owadays, a multidisciplinary approach is the key for a successful design process. Engineers and designers are able to simultaneously take



different disciplinary aspects into account to determine the optimal solution. This perspective allows for exploitation of interactions between multiple design aspects, while increasing the problem complexity: that's why a powerful platform is needed to streamline the process into one single environment.

modeFRONTIER, the multiobjective and multidisciplinary optimization platform, supplies full integration with any CAE/CAD software and complete automation of the simulation process leading — with a powerful post processing set of tools — to the best possible design. Multidisciplinary design optimization with modeFRONTIER can be applied to a wide spectrum of industrial sectors, from aerospace to materials science, with the automotive sector being the main field of application. The benefits are evident if applied to structural and CFD research, as explained in the multidisciplinary robust optimization of a F1 rear wing project by Javier Gutiérrez Diez (METCA).

At high speed, aeroelastic reactions are to be considered by analyzing the aerodynamic and structural effects at the same time, therefore it is necessary to run the optimization process from both disciplines' viewpoints. By employing the advanced coupling capabilities in modeFRONTIER, as well as the versatile control and its statistical tools, this goal can be achieved easily.

The whole optimization cycle of the rear wing is controlled and managed by the workflow generated in the modeFRONTIER environment by combining MEF and CFD calculation from third-party software. modeFRONTIER shares the data resulting from each iterative simulation as many times as necessary to achieve the tolerance required by the designer. This achieves a design that features better performances for the whole speed range, not just for a single value.

INFO → ESTECO: [esteco.com](http://esteco.com)



# Two Parts in One

With LightWave 11, NewTek once again puts most of the shine on half the product.

By Mark Clarkson

**D**espite age-old hints and promises to the contrary, LightWave remains two distinct applications: Modeler and Layout. Modeler is where you create your geometry. Layout is for everything else—rendering, animation, lighting, and so forth. I don't mind this separation of the workflow, but it's something that continues to chafe on the community.

I've always liked LightWave's modeler, which is fortunate, because it's still the same modeler as was in version 10. And version 9. However, the company says version 11.5 will include a number of new modeling features.

For the last several releases, NewTek has been pouring its resources into Layout, improving the rendering workflow, adding better cameras and lights, fur, etc. True to form, that's where it's put all the big improvements this time.

## Installation Woes

I started hitting hiccups before I got a chance to run the program. Upon installation, I found the resources—models, scenes, textures, etc.—were on the disc in a two-part Zip archive. Windows does not handle multi-part archives natively, so my only options (and the actual procedure recommended in the docs) were to download and install third-party software, or use the command line mode to manually combine the two parts into a single file, then unzip them. Are you kidding me? I really hope my problems were the result of my getting a very early release of the program.

Likewise, the help file loaded only blank pages. It turns out that the help files don't like Google's Chrome browser. Once I reverted to Internet Explorer, I found the help files were actually for version 10. Despite the application having been shipping for half a year, there are no current help files. Version 11's help consists of addenda in PDF format. Adding insult to injury, the web-based help option on the help menu took me to a non-existent website.

When questioned about the installation and documentation issues, Rob Powers, president of the LightWave 3D Group, responded that the content, documentation, and files are now distributed with a digital download. He also says the company's new site is being updated to include more support, including video tutorials and documentation files.

## Instancing, Flocking and Physics

LightWave version 11 introduces Instancing—a way to create lots of copies of a single mesh without the usual memory overhead. You could use instancing to cover a tabletop in ball bearings or machine screws, for example, or to create a vast

array of cell phones stretching to the horizon. The difference between, say, a single instance of a 1.6 million-polygon object and 500 instances of the same object is only on the order of 2 or 3MB. That's not to say that those extra 499 meshes don't impart a performance hit when it comes time to display them onscreen—I definitely felt it—but the memory hit is nil.

These instances don't have to be identical copies of the original. You can make them quite different from one another by adding random scaling, positioning and rotation, as well as applying different materials.

The new Flocking feature allows you to create large groups, swarms, flocks or herds of objects that move through your scene in a cohesive way—either following a path, or chasing or avoiding various goals. These flocks can be made up of static meshes, or they can use objects with animated behaviors.

If you ever feel like smashing your models, you'll be happy with LightWave's new Bullet Physics. Bullet is an open-source physics engine, also available in Blender, Cinema 4D and other 3D applications. It is great for bouncing balls, collapsing towers or, more practically, for scattering a ton of bolts across a tabletop without having to place each one individually.


Modeler has a new tool called Fracture, designed to support Bullet Physics by automatically breaking up your solid models into little bits so that Bullet can explode or collapse them. A simpler version of Fracture is available within Layout.

## Render Buffer Enhancements


It's often useful, and sometimes necessary, to export different render passes separately. When the art director wants "more shine" or a deeper shade of red, for example, having separate render passes to work with—reflection, specular, diffuse color, etc.—lets you quickly tweak the final results in Photoshop rather than resetting and re-rendering your scene.

LightWave has long had the ability to render different passes to separate layers in a layer Photoshop file, but you had little control over them. LightWave 11's Compositing Buffer export panel (which is hiding under image filters, rather than as an output option) gives you control over which passes to render and which objects to include. Your checkable options include everything from the normal (reflections, shadows) to the arcane (x and y motion, object ID). For some reason, though, my ambient occlusion passes were borked.

You can also create and save your own named presets, rather than checking and unchecking dozens of boxes with every render




LightWave's new Flock Generator automatically creates animated flocks of objects—here, a swarm of robot wasps.



LightWave's instancing creates hundreds, or even thousands of "clones" of an object without the memory overhead.



LightWave's modeler remains fast, easy to use—and essentially unchanged for some time.



The new Shadow Catcher helps seamlessly integrate your objects into real-world backgrounds.

## Other Goodies

LightWave 11 now supports industry-standard Python scripting. Python appears to have full access to LightWave innards, though documentation beyond a couple of example scripts, is, not surprisingly, hard to come by.

LightWave's VPR real-time preview has been tweaked a bit. It now shows lens flares, for example. Even better, it allows you to easily locate materials (or surfaces) in the Surface Editor by clicking on them in the VPR window.

LightWave's Print Assistant utility has been improved. It has more presets, and is generally easier to use.

The new Shadow Catcher makes it easier to integrate your renders into existing photographs and animations. Shadow catchers render the shadows and reflections of your scene, and nothing else, so you can lay one down to match the floor in your background photo—and the resulting render casts realistic shadows, tying your objects into the background.

There are a lot of little improvements. The curve and node editors have been cleaned up and made easier to use. All of the sampling controls have been moved to a central location in the camera properties panel, whereas before they were scattered hither and yon. LightWave's Virtual Studio Tools, introduced in version 10, support a wider range of 3D input devices, including now the Sony PlayStation Move. LightWave now also supports GoZ for better interchange with ZBrush sculpting software.

## The Best Features are the Old Features

Truthfully, though, I'm not sure how many of the "big new features" will be of use to the average design engineer. I suspect some of the "also withs"—Python scripting, better render buffer management, unified sampling controls and an improved material node editor—will be a bigger help to your LightWave pipeline.

In the end, especially for engineers who are generally less interested in fur and special effects, LightWave's real strengths have been there for a while: its use of linear color space, its real-world lighting and lenses, its excellent and speedy rendering engine.

Download a free trial version at [newtek.com/products/lightwave/lightwave-downloads.html](http://newtek.com/products/lightwave/lightwave-downloads.html). **DE**

*Contributing Editor Mark Clarkson is DE's expert in visualization, computer animation, and graphics. His newest book is *Photoshop Elements by Example*. Visit him on the web at [MarkClarkson.com](http://MarkClarkson.com) or send e-mail about this article to [de-editors@deskeng.com](mailto:de-editors@deskeng.com).*

**INFO** → LightWave 3D Group: [lightwave3d.com](http://lightwave3d.com)

→ NewTek Inc.: [NewTek.com](http://NewTek.com)

→ Pixilologic: [Pixilologic.com/zbrush](http://Pixilologic.com/zbrush)

- LightWave version 11: \$1,495 (upgrades \$695)
- Pixilologic zBrush: \$699

For more information on this topic, visit [deskeng.com](http://deskeng.com).

# The Back-and-Forth of Windshield Wiper Design

Hyundai Motor Co. uses Abaqus Unified FEA to perform faster, integrated design simulations.

By Lynn Manning





Figure 1: Windshield wiper positioning analysis.

**W**hat's the most important safety device in your car? Did you answer seat belt or airbag? You might be correct on a sunny day. But you can't safely drive a single city block in a rainstorm or blizzard without your windshield wipers.

And they're not only found on cars: planes, trains, boats, off-road vehicles and even space shuttles use windshield wipers. While the blades need periodic replacement, the wiper system itself is considered one of the most reliable of vehicle devices, with a design life average of 1.5 million wipes.

## Designing Reliability

Reliability is a key tenet of Hyundai Motor Co. Founded in 1967 and headquartered in Seoul, Korea, the automaker keeps a sharp eye on every detail affecting motorist safety. The windshield wiper has been the focus of considerable attention at the company's R&D center.

"We are looking to optimize both wiping performance and fatigue life of the windshield wipers on every vehicle Hyundai makes," says Hyundai research engineer Sungjin Yoon. "To achieve that, we need to consider all the critical design factors, such as blade shape, material and the structure of the wiper arm and links. Computer-aided engineering (CAE) plays a central role in that process."

Using a variety of CAE tools to evaluate the geometry, kinematics, loads and stresses on wiper mechanisms during the initial design stages helps Hyundai engineers meet current wiper performance guidelines. The tools also let them predict the effects of design modifications employing new materials, light-weighting, and/or innovative wiper configurations. Early identification of the most efficient design for each new vehicle concept both speeds up the product development process, and reduces prototyping and manufacturing costs downstream.

## Sweeping through the Physics

At the core of the team's CAE work is realistic simulation

with Abaqus Unified finite element analysis (FEA) from Dassault Systèmes' SIMULIA brand.


"The physics of windshield wipers are more complex than you might think," says Yoon. "Previously, we'd been performing separate analyses for wiping and durability using two different FEA programs on two different computer models, but we wanted to develop a unified analysis model with which we could study both. We found that Abaqus has a full range of simulation capabilities that allow us to analyze every aspect of the characteristics we were interested in studying within a single software package."

In addition to its essential back-and-forth behavior, a windshield wiper must, above all else, maintain uniform distribution of pressure between the windshield glass and the wiper blade so the driver's view remains clear (this is known in some engineering circles as "the squeegee effect"). As the blade ages, it must continue to provide a certain level of cleaning ability. Plus, the entire wiper system needs to be strong enough to withstand a variety of loading conditions—from wind-driven rain to heavy snow—and durable enough to last for many years of operation.

## Where the Rubber Meets the Glass

To begin their unified FEA inquiries into how wiper design affects both wiping and durability, the Hyundai team starts by looking at the rubber blade alone. To accurately predict wiper blade performance, it's important to use a material model that fully captures the behavior of the rubber. The rubber material exhibits nonlinear elasticity, as well as a certain amount of time-dependency in its response. Capturing both these phenomena together was accomplished with a combination of hyperelasticity and viscoelasticity material options available in Abaqus.


Next, the engineers model the wiper arm system, a highly interdependent series of links and arms that combine to provide uniform pressure over the full length of the rubber blade. This is important for avoiding those annoying streaks on the windshield. To facilitate their FEA modeling, the



**FIGURE 2:** Wiper and glass model (left). Results of a wiper analysis, showing pressure distribution for both passenger (middle) and driver (right).



**FIGURE 3:** Indoor “snowstorm” at Hyundai R&D center (left) recreates the conditions that windshield wipers are designed to withstand. Snow block (in red at left) analysis duplicates these conditions to guide early design.



**FIGURE 4:** Comparison of FEA results for wiper arm and link, before and after optimization.

group uses kinematic visualization software with a specific template for each vehicle wiper arm type.

Then the team is ready to run full Abaqus models to evaluate wiping. The first step is to properly load the wiper blade against the windshield to establish the correct initial contact pressures against the glass (see Figure 1). The axial connector element in Abaqus is used to express the behavior of the arm spring.

“It’s important to establish what the preloading strain is,” says Yoon, “because it needs to be taken into account as the wiper moves, when the deformation shape of the blade section on the glass will affect the results over the total wiping area.”

A rotational moment is loaded at the base of the wiper arm to replicate the motor torque, at the point where the arm pivots. This causes the arm to slide across the glass with a wiping motion. The analysis can subsequently track the total strain on the blade at specific times and varying temperatures (the latter can particularly affect blade rubber). Final outputs are reported through an in-house post-program that shows

the pressure distribution throughout a complete sweep of the windshield glass. (See Figure 2.) These results can then be compared against established design specifications to determine whether the blade is performing as expected.

### “Clear” Results

The second part of the analysis, for durability (fatigue life), can be performed on the same FEA model that was set up for the wiping sequence.

“All we need to do is change the boundary and loading conditions in our Abaqus Unified FEA model,” says Yoon.

Just as was done with the wiping analysis, a rotational moment is entered as a loading condition. But this time, stationary “snow blocks” are mounted to halt the wiper blade before the lower and upper extremes of its sweep across the windshield glass model. As the analysis is run, the moving blade arm contacts the snow blocks, and the resulting internal forces on the linkage as the blade stops can be determined.

Stresses corresponding to these internal forces are used to predict fatigue life during moderate snow conditions or, in the case of heavy snow, plastic deformation or failure within the wiper assembly. These predictions are then validated under real-world conditions that include actual snow deposited on the windshield of a typical mass-produced car in Hyundai’s test facilities. (See Figure 3.)

### Optimizing Wiping and Durability

With their wiping and durability results in hand, engineers can then optimize both factors by varying different design parameters and observing their effect on the overall performance of the wiper system.

“The superiority of the unified analysis model is that it enables us to consider a wide range of design factors affecting both wiping and durability,” says Yoon. “With an optimized blade arm and link combination, we can achieve a lighter-weight wiper system—while also increasing key link stiffness measures and reducing maximum stresses.” (See Figure 4.)

Hyundai’s R&D group is continuing to expand its use of templates to speed the windshield wiper design workflow. The Abaqus analyses are contributing to the buildup of a knowledge base with parameter studies that give the group better insight into which design variables have the greatest effect on component operation. All this points to their customers’ having a very clear view of the road ahead—in any weather. **DE**

**Lynn Manning** is vice president of Parker Group, a public relations firm based in Providence, RI, that represents Dassault Systèmes’ SIMULIA Corp. ~

**INFO** → Dassault Systèmes: [3DS.com](http://3DS.com)

→ Hyundai Motor Co.: [Hyundai.com](http://Hyundai.com)

For more information on this topic, visit [deskeng.com](http://deskeng.com).

# Plugging into the Chevy Malibu's Eco Future

Embry-Riddle University's EcoEagles put digital simulation in driver's seat.

BY KENNETH WONG

**O**n Friday June 22, Domenic Barsotti and his friends, known as the EcoEagles, received their car, courtesy of GM. It now sits inside a small garage in the Lehmen Building, part of Embry-Riddle Aeronautic University's 185-acre Daytona Beach campus. The pearl-white 2013 Chevy Malibu seems to complement Miami's sun-lit, palm-lined landscape. Even though it was the first time Barsotti had laid eyes on the vehicle, he felt he knew it inside-out.


Barsotti drives a Honda Civic in his regular commute, but, for the past year, he and his friends at Embry-Riddle had been studying the Chevy Malibu 2013's engine bay, cooling system, powertrain, and body structure in highly detailed 3D digital models, created in Siemens PLM Software's NX. The EcoEagles are one of 15 teams, each representing a prestigious university in the EcoCar2 Competition, organized and sponsored by the U.S. Department of Energy and GM. The three-year competition asks contestants to "Plug into the Future" by "[reducing] the environmental impact of a Chevrolet Malibu without compromising performance, safety, and consumer acceptability."

The EcoEagles are betting on a front-wheel-drive series plug-in hybrid electric vehicle (PHEV) system. Since the real vehicle needs to periodically go on promotional tours and roadshows, dismantling the car and outfitting it with various experimental drive systems isn't a feasible option. It'll be up to Barsotti, in charge of the team's computer-aided engineering (CAE) studies, to test out and validate most of the ideas under consideration in a mixture of high-end simulation packages, including ANSYS, CD-adapco's STAR-CCM+, and MathWorks' MATLAB.

## Balancing Performance and Aesthetics

The EcoCar2 competition, modeled on GM's real-world vehicle development process, has four primary technical goals:

- Reduce fuel consumption.
- Reduce well-to-wheel greenhouse gas emissions.



To design a better Chevy Malibu for the EcoCar2 contest, the Embry-Riddle team studied the velocity vector plot through the mid-plane of the wheels in CD-adapco's STAR-CCM+. In this simulation, the wheels are set to rotate. The ground plane is also traveling at 50 mph.

- Reduce criteria tailpipe emissions.
- Maintain consumer acceptability in the areas of performance, utility, and safety.

The first three goals are not impossible to achieve, but the fourth sums up the challenge for participating teams: They must accomplish the objectives without sacrificing the Chevy Malibu's consumer appeal.

"You can put all kinds of aerodynamic devices to reduce drag, but, in the end, if it looks like an ugly car, no one will ever want to buy it," reasoned Barsotti.

According to the EcoEagles' description, their system promises to "run on both grid electricity and B20 biodiesel fuel. The vehicle will be capable of being driven as an electric vehicle for more than 40 miles by using AM-Racing, Remy electric motors and an A123 Systems lithium-ion battery pack. The EcoEagles are using a GM 1.7 L diesel engine and a Remy generator to sustain the battery. The small GM diesel engine was chosen because of its high efficiency and the low environmental impact associated with B20 biodiesel."

The EcoEagles are investigating, among other things, the use of phase-change materials (also called latent heat

storage units) for battery cooling. "I believe we are the only [team] that looked into it and proved that it's a viable option," said Barsotti.

They are also considering replacing the vehicle's side mirrors with cameras for better navigation and drag reduction. In both cases, the use of digital simulation to study the design's impact plays an important role. In exploring phase-change materials, the team needs to employ heat transfer analysis; in mirror replacement, the team needs to understand how the change in geometry will affect the car's air flow.

EcoCar2 competing teams received complementary software licenses from sponsors, including CD-adapco, dSPACE, MathWorks, and Siemens PLM Software. Since the original digital data provided by GM is delivered in NX format, access to Siemens PLM Software's NX program gives contestants a way to read and edit the models without translation.

For Barsotti, access to CD-adapco's STAR-CCM+ is a boon, as he regularly relies on it for CFD studies. "The

Optimate+ plugin for STAR-CCM+ allows the use of Red Cedar Technology's powerful SHERPA optimizing algorithm to alter the design of our new camera pods quickly and efficiently and to minimize drag in a way that wasn't possible before," noted Barsotti. "Its seamless integration into STAR-CCM+ made it fast and easy to incorporate into our design process."

For heat transfer, the EcoEagles use ANSYS, a program they have become familiar with in classroom exercises. As part of the simulation deals with embedded software and control systems, the team also uses MathWorks MATLAB, a programming environment for data analysis, and dSPACE, a development and testing platform for embedded software, control software, and mechatronics.


### Model Simplification is the First Step

Because loading the GM-supplied 3D models in native NX format (complete with manufacturing details, such as adhesives for doors) into a CFD program is time consuming, Bar-

# SPOTLIGHT

Directing your search to the companies that have what you need.

## A PERFECT JOB REFERENCE AND LEARNING TOOL!



- ♦ Two new chapters - Sheet Metal Parts and Using Links and Equations.
- ♦ Contains exercises and materials that are keyed to preparing for the Certified SolidWorks Associate (CSWA) exam.
- ♦ Includes extensive learning aids throughout.

GO TO [WWW.INDUSTRIALPRESS.COM](http://WWW.INDUSTRIALPRESS.COM) TO ORDER OR FOR MORE INFORMATION. TO RECEIVE A 25% DISCOUNT USE SPECIAL OFFER CODE DE09-12\*.

\*Offer Expires 10/31/12.

900 pgs, 3451-8, \$74.95  
Includes CD with interactive exercises



**INDUSTRIAL PRESS INC.**  
[www.industrialpress.com](http://www.industrialpress.com)

# TurboCAD®

Helping You Build The Future

NEW

Try it Free on [TurboCAD.com](http://TurboCAD.com)

NEW 64-Bit Version Available

## High Performance Multi-Function I/O USB Data Acquisition Modules

**OMB-DAQ-USB-2416**  
Starts at  
\$1100



Visit [omega.com/omb-daq-2416](http://omega.com/omb-daq-2416)

omega.com

1-888-82-66342  
1-888-TC-OMEGA

**OMEGA®**  
© COPYRIGHT 2011 OMEGA ENGINEERING, INC. ALL RIGHTS RESERVED

## Optimize! Upgrade! Invest!

A Guide to  
Improving Your  
Workstation  
Experience.



Download your guide for FREE! Go to:  
[www.fireprographics.com/pdf\\_download/](http://www.fireprographics.com/pdf_download/)

sotti uses Parasolid (the geometric format native to Siemens' software packages, also widely used by many CAD software developers) as the intermediary lightweight format. When possible, Barsotti reduces the complexity of the model using NX's Synchronology Technology, a direct-editing method. (For more on this topic, read "Direct Modelers as FEA Pre-processors, Part I and Part II," April-May 2012.)

Because of Embry-Riddle's long tradition in aerospace engineering, the faculty and its students are more familiar with Dassault Systèmes' CATIA, a software package widely used in aerospace industry. However, despite limited exposure to NX, Barsotti found that NX's Synchronous Technology, which lets users push and pull on faces to create or edit geometry, gave him an easy way to strip out unnecessary details.

When analyzing the engine bay, Barsotti simplified it by reducing the amount of details and holes in the model. Similarly, when preparing the floor of the vehicle, he turned the model into solid, flat geometry. These treatments reduced the computation required to solve the analysis scenarios and produce the results faster. (Even a simplified model still contained roughly 16 million cells, Barsotti estimated.)

"The Wrap allowed for a quick 'Wrap' of the grills that quickly sealed the engine bay," noted Barsotti. "Also, the Wave geometry linker allowed the flat floor to be drawn with linked dimensions to the body's shell without any risk of modifying the original design of the vehicle."

## HPC on a Smaller Scale

The EcoEagles' garage is equipped with a Dell Precision T7500 workstation, powered by dual CPUs (two CPUs, offering 12 processing cores), 24GB RAM, a NVIDIA Quadro 2000 professional GPU, and a 120GB solid-state drive. A

SpaceMouse from 3DConnexion rounds out the system.

"CD-adapco is nice enough to give us HPC licenses, so we could use all 12 cores," Barsotti remarked. Running analysis software on multiple CPU cores lets you obtain the results faster; however, doing so often requires special licenses, often called HPC licenses.


As powerful as the Dell Precision workstation is, Barsotti explained some of the analysis jobs took an entire day to converge even when processing on all 12 cores. Furthermore, when the system is engaged in analysis jobs, it has no remaining processing power for anything else. Out of consideration for others who might need access to the workstation, Barsotti usually schedules his analysis jobs to begin at the end of the day.

One advantage STAR-CCM+ offers, Barsotti explained, is the option to pause a job in progress. "You can stop the solver at any time, then start up again at a later time," he said. "Obviously I share the workstation with others, so if someone has to use the workstation, I can stop my simulation, save it, then start it again later."


He also showed his teammates how to stop a simulation, then reload it on fewer number of cores: for example, switching the simulation to run from 12 cores to 8, thus leaving four free cores to run other programs (such as email, web browsers, or CAD) while the simulation continues in the background.

## Experiments in Bits and Bytes

On July 25, the EcoEagles provided an update to its fans through their Facebook page: "Our vehicle dynamometer has arrived. Installation into the EcoEagles' garage begins next week. Exercising our hybrid power system



Simulation results for the Embry-Riddle team's design study. Top image shows surface pressure on the vehicle with velocity streamlines. Bottom left image shows a velocity vector plot through a plane that is about  $\frac{3}{4}$  of the way up the tire. Bottom right image shows velocity through the mid-plane of the vehicle. They are simulated with a vehicle with rotating wheels and a moving ground plane traveling at 50 mph.



The original vehicle model's floor section (top), even with some details omitted, is still too complex for analysis. Barsotti used NX software's Synchronous Technology to reduce the model to a solid piece of geometry (bottom).

with it allows development in a controlled, repeatable environment.”

One fan responded: “Can’t wait to see that baby in action!” Another wondered: “No laps around the ICI (Intramural and Recreational Sports, part of the campus)?” To the fans’ delight, the page admin responded: “We will definitely do laps.”

Competition is fierce. The EcoEagles are going up against worthy rivals, who hope to harvest fuel-cells, ethanol, and lithium-ion battery to boost the Chevy Malibu’s performance. The contest organizer’s official blog “Inside the Green Garage” revealed that, like the EcoEagles, teams from the University of Victoria and Colorado State University are also digitally simulating their vehicles’ operations inside dSPACE’s vehicle dynamics mode.

All the teams received their own test vehicle this June, but they began designing long before the car arrived. They started putting together their Chevy Malibus inside their workstations in pixels nearly a year ago; they’ve been crash-testing them in cells and meshes in finite element analysis programs since then. **DE**

**Kenneth Wong** is Desktop Engineering’s senior editor and resident blogger. He’ll be the first to admit that his driving skills are better suited for digital simulation than the real world. Reach him at [kennethwong@deskeng.com](mailto:kennethwong@deskeng.com) or visit his blog at [deskeng.com/virtual\\_desktop](http://deskeng.com/virtual_desktop).

INFO → 3DConnexion: [3dconnexion.com](http://3dconnexion.com)

→ ANSYS: [ansys.com](http://ansys.com)

→ CD-adapco: [cd-adapco.com](http://cd-adapco.com)

→ Dassault Systèmes: [3ds.com](http://3ds.com)

→ Dell: [dell.com](http://dell.com)

→ dSPACE: [dSPACE.com](http://dSPACE.com)

→ EcoEagles: [ecoeagles.org](http://ecoeagles.org)

→ Embry-Riddle University: [erau.edu](http://erau.edu)

→ Inside the Green Garage: [greengarageblog.org](http://greengarageblog.org)

→ MathWorks: [mathworks.com](http://mathworks.com)

→ NVIDIA: [nvidia.com](http://nvidia.com)

→ Red Cedar Technology: [redcedartech.com](http://redcedartech.com)

→ Siemens PLM Software: [siemens.com/plm](http://siemens.com/plm)

## Advertising Index

Altair .....	13
AMD .....	9
AMD .....	45
ANSYS .....	CV2
CADCAM-E.Com, Inc .....	34
CD-adapco .....	29
Cobham Technical Services .....	25
COMSOL .....	5
Esteco SpA .....	39
HSMWorks ApS, USA .....	27
IMSI Design .....	45
Industrial Press .....	45
Kubotek USA, Inc .....	24
Lenovo .....	19
MathWorks .....	7
Measurement Computing & IOtech .....	31
Microway .....	15
National Instruments .....	3
Objet Geometries, Inc .....	CV3
Okino Computer Graphics, Inc .....	28
Omega Engineering .....	1
Omega Engineering .....	45
RAVE Computer .....	23
Siemens-Americas Marketing .....	11
Solid Concepts, Inc .....	33
Stratasys - Mojo .....	CV4
Tormach LLC .....	28



# Exploiting the Integrated Desktop

**T**here is no doubt that the rudimentary 2D drafting systems and manual intensive analysis packages of the early 1980s revolutionized engineering design—not only in terms of productivity, but also because of the ability to reach the physical prototyping and testing stage with much greater confidence in the product’s performance. Since then, the computer-based design tools available to engineers have steadily increased in both range and sophistication, resulting in the fully integrated 3D modeling and multiphysics analysis tools available today. They have also decreased substantially in cost, which, together with the growth in computing power and advances in computing infrastructures, means that today’s engineer can develop concept designs, create fully detailed 3D models and perform a wide range of analyses and simulations on the desktop.

The advances that have made this level of accessibility possible are primarily in the areas of system integration, ease of use and processing power. The exchange of geometry among CAD and simulation and analysis systems has become practically seamless,

**The exchange of geometry among CAD and simulation and analysis systems has become practically seamless.**

even among systems from different vendors. For vendors that offer a suite of tools, moving between systems is largely a matter of simply moving to a different set of menu options. For many types of analysis, even those of some complexity, much of the groundwork of setting up the model in the required form is now largely handled intelligently by the system “behind the scenes.” And of course, the levels of computing power available to desktop users are now huge, whether through exploitation of the cloud or by adding power locally in the form of processors dedicated to the kinds of tasks associated with computer-aided engineering. What’s more, the power required is highly affordable.

## Industry Impact

The availability of integrated, sophisticated and easier-to-use engineering tools on the desktop has far-reaching implications for most industries. First, it offers the prospect of a fully integrated design process in which the simulation and analysis steps for all physical aspects are embedded seamlessly into the design engineer’s workflows. That is not to suggest that a rigorous analysis by simulation and analysis specialists can be eliminated, but the design engineers’ ability to perform

initial analyses does mean the specialist’s involvement comes at a stage at which the design should already be quite robust.

Of course, the extent to which the technology can affect the design process depends on the ability of an organization to absorb such potentially disruptive changes into its workflows—and this varies widely by industry. The aerospace sector, for example, is certainly deriving benefits such as improved designs through the ability to explore more options, reduced development time through delaying physical prototyping, eliminating waste associated with over-engineering, etc. But it must also maintain the carefully staged and controlled approach to component, sub-system and integrated system design that has evolved over many decades. In contrast, less complex, more fast-moving industries can modify their work practices more readily.

## Lower Barriers to Entry

The second implication of the advances in desktop engineering tools is that many more organizations can take advantage of these technologies. For any industry, the result is a “raising of the bar” in terms of almost every aspect of product performance, including functionality, safety, reliability, cost, environmental impact and, for many products, aesthetic appeal. As a result, computer-aided simulation and analysis tools are becoming essential design resources, even for small companies in sectors for which such tools were previously considered overkill.

It also means that small companies with access to today’s desktop engineering design tools can compete in some of the areas that have only been within the capabilities of larger companies with heavy investments in design technologies. The market, therefore, seems to be self-sustaining.

A third major implication is managing the engineering data that results from access to design tools. For large companies, the volume and scope of the data generated by more engineers performing a wider range of tasks is likely to put pressure on their product data management environments. But for small companies, it may well be raising a new requirement in terms of managing product data. The good news is that the vendor community is responding to this need by developing more accessible technology in this area, too. **DE**

*With a range of experience in engineering, manufacturing, energy and IT, Tony Christian is director of the research analyst and consulting company Cambashi. Send e-mail about this article to DE-Editors@deskeng.com.*

**INFO** → Cambashi: [Cambashi.com](http://Cambashi.com)

For more information on this topic, visit [deskeng.com](http://deskeng.com).



# Considering uPrint<sup>®</sup>? Consider Objet<sup>®</sup> 24

80% of the relevant Fortune 100 organizations didn't settle for second best.  
They invested in Objet 3D Printing technology.

**Objet24. From only \$19,900\***

Superior printing accuracy and low price  
point for the creative freedom you deserve.



Objet24 Personal 3D Printer



**Go Ahead. Print Reality.**

\*International pricing may vary. Price excludes VAT, options, installation, shipping, local taxes and duties.  
All trademarks are the property of their respective owners

**1-877-489 9449**  
**info@objet.com**  
**www.objet.com**



## GIVE YOUR BIG IDEA A LITTLE MOJO.

### Introducing A World-Class 3D Printer For Only \$185/Month.

When you bring an idea to the table, the new Mojo 3D Printer brings it to life with ease. Now you can have 3D printing right at your desktop at a remarkably low cost. With the magic of Mojo at your fingertips, there's really no limit to your creativity. The affordable Mojo 3D Print Pack includes everything you need to start printing immediately – matching your design's brilliance with an equally inspiring model.

Find out more at [www.Mojo3Dprinting.com/DE](http://www.Mojo3Dprinting.com/DE)



**Mojo**  
3D PRINTER

